

NCCF

भारतीय राष्ट्रीय उपभोक्ता सहकारी संघ मर्यादित

NATIONAL COOPERATIVE CONSUMERS' FEDERATION OF INDIA LTD. (Under Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India) "Shubhamalaya" Building,42-Jaswant Road, Near Paani Tanki, Pan Bazar, Guwahati-781001 Phone No. 0361-2519693,3550304 Email: nccfght1965@gmail.com Website: nccf-india.com

SHORT TENDER NOTICE

NCCF, Guwahati Branch intends to be participated in E-tender vide tender notice: No. GEM/2024/B/4465145 dated 10-01-2024, floated by Skill Employment And Entrepreneurship Department, Directorate of Employment And Craftsmen Training, Guwahati Assam through Interested enlisted, sound and well experience supplier(s) of NCCF are requested to submit their offer on or before 19-01-2024 at 18:00:00 hours.

- Selection of supplier will be made on the base of maximum margin offered for NCCF and lowest rate quoted and acceptance of all terms & conditions of tender no GEM/2024/B/4465145, Dated- 10-01-2024 and NCCF Guidelines.
- Conditional offer will not be considered.
- NCCF, Guwahati Branch reserved the right to accept or reject any offer at any stage without assigning any reason thereof.

Dt:- 15.01.2024

Branch Manager NCCF GUWAHATI

是面

Encl: Copy of Tender Documents.

Tools & Equipments for ITI of Assam <u>Technical Specifications</u>

SL	Item	Total Quantity			
1	Measuring Steel Tape, 5 metre, in a handy packing.	12			
2	Combination Plier Insulated, 150 mm, made of chrome vanadium steel, drop forged with thick insulated handle.				
3	Screwdriver Insulated, 5mm X 150 mm, Diamond Head / Phillip Head, spring steel blade and handle made of Cellulose Acetate materials.				
4	Screwdriver insulated (HD), 5mm X 200 mm, spring steel blade and handle made of Cellulose Acetate materials .				
5	Electrician Screwdriver thin stem Insulated handle, 5mm X 250 mm, spring steel blade and handle made of Cellulose Acetate materials.	32			
6	Centre Punch 10 cm and 150mm(set of two), duly tampered with knurling body to grip	9			
7	Knife Blade Electrician, 100mm, folding type for safety of the trainees.	30			
8	Neon Tester, 500 V, Spring Steel blade, handle made of Cellulose Acetate materials.	40			
9	Steel Rule 300 mm / 12 inch, Graduated both in Metric and English Units, made of Stainless Steel.	50			
10	Hammer, Cross / Ball pein with handle, 200-100 grams, duly drop forged head.	32			
11	Hammer, ball pein with handle, 500 grams, duly drop forged head.	24			
12	C- Clamp, size: 200 mm and 100 mm (set of 2), manufactured from ductile SG iron casting, Fine thread screw, suitable for metal working applications.	4			
13	Spanner Adjustable, duly drop forged, size 150 and 300mm (set of 2)	4			
14	Blow lamp brass with 0.5 litre storage capacity, pumping system, portable lamp.	1			
15	Chisel Cold, Flat / Octagonal, 20/22 mm X 150/200 mm, drop forged cutting edge.	32			
16	Allen Key set, made of alloy steel, size 1.5 to10 mm (set of 9 Allen Keys)	3			
17	Pully Puller with 2 / 3 legs, 100/150 mm & 200/300mm (set of 2), duly drop forged.	1			
18	Bearing Puller (inside and outside) 150/200 mm (set of 2), duly drop forged.	1			
19	Pipe vice cast Iron with hardened jaw open/close type, Frame & Jaws made of shock resisting cast iron, main screw is made of high-grade steel, size: 50 mm / 75mm	2			
20	Scissors blade, 200mm, cutting edges are duly tampered and sharpened.	4			
21	Scissors blade, 150 mm, cutting edges are duly tampered and sharpened.	4			
22	Wire Cutter and Stripper, 150 mm, adjustable wire cutter and stripper for wire from 0.2mm to 6mm, duly tampered.	12			
23	Mallet hard wood / plastic / rubber, fitted with handle.	4			
24	Hammer Extractor/claw type, 200/300 grams, with handle, duly drop forged head.	4			
25	Hacksaw frame, Adjustable 300 mm, made of rectangular pipe frame, heavy duty with one 300mm hacksaw blade with each hacksaw frame.				
26	Engineer Try Square, duly graduated, 150mm, properly aligned stock and tampered blade.				
27	Adjustable Spring Calliper, Outside, 150 mm, spring joint with centrally located nut for adjustment.				
28	Adjustable Spring Calliper, Inside, 150 mm, spring joint with centrally located nut for adjustment.				
29	Adjustable Spring Calliper, Divider, 150 mm, spring joint with centrally located nut for adjustment.	34			

SL	Item	Total
30	Pliers long nose insulated, 130 mm, made of steel, duly drop forged and heat treated	Quantity 30
30	with thick insulation handle.	
31	Pliers flat nose insulated, 160 / 165 mm, made of steel, duly drop forged and heat	8
	treated with thick insulation handle.	
32	Pliers round nose insulated, 160/165 mm, made of steel, duly drop forged and heat	4
	treated with thick insulation handle.	
33	Tweezers, 100/150 mm, duly tampered.	66
34	Snip Straight heavy duty 250 mm, cutting edges are duly tampered and sharpened.	2
35	D.E. metric Spanner Double Ended, open jaw, 6 - 32 mm, made of chrome vanadium	4
	steel, double ended open Jaw type spanner set, duly tampered.	
36	Drill S.S. Twist block, 2 mm to 12 mm set of 7 straight shank drill bits, made by high	3
	quality steel and properly tampered.	
37	Gauge, wire imperial stainless steel marked in SWG and mm, gauge in round shape.	1
38	File flat smooth, 250 mm, made by high quality steel and with wooden/plastic handle.	16
39	Copper bit soldering iron, fire heated, 0.25 kg.	2
40	De soldering Gun, Heatproof nozzle, PVC type, standard size, hand operated.	24
41	Hand Vice, 50 mm, duly forged and tampered.	4
42	Tools maker Vice with clamp adjustable, 50mm & 100 mm, duly forged and tampered.	2
43	Oil Can, 250 ml, pressure type oil can	1
44	Portable Electric Drill Machine 0 - 13 mm drilling capacity, operated on A.C.220v-240v	1
	single phase electric power, complete with chuck and key, handle, connecting wire.	_
45	Out Side Micrometer, 0 - 25 mm, least count 0.01mm, Clear graduations on satin-	3
	chrome finish, Positive locking clamp, Carbide-tipped measuring faces, Hammer tone-	
	green, backed-enamel-finished frame, Measuring Range 0-25mm, Least count with	
	0.01mm Graduation, Accuracy ± 2 micrometer.	
46	Safety Belt, Standard quality.	2
47	Digital Multi Meter 3½ digit, DC 200mv -1000V,0 - 10A DC & AC 200mV- 750V, 0-10A	36
	AC, resistance 0-20 M Ω , complete with test lead and brand new suitable batteries.	
48	Moving Coil centre zero Voltmeter, 100 – 0 – 100 mV, Educational Desk Model,	4
	rectangular type, housed in a enclosed box, fitted with college type terminals, to fit	-
	the connecting wires, for the safety of the students, Milli Voltmeter centre zero	
	Analog type.	
49	Moving Coil Voltmeter, (set of five volt meters of assorted ranges), Educational Desk	4
	Model, rectangular type, housed in a enclosed box, fitted with college type terminals,	
	to fit the connecting wires, for the safety of the students, Analog type.	
50	Moving Coil Ampere Meter, (set of five assorted ranges of milli and ampere meters),	4
	Educational Desk Model, rectangular type, housed in a enclosed box, fitted with	
	college type terminals, to fit the connecting wires, for the safety of the students.	
	Analog type.	
51	Digital Wattmeter, microprocessor based, 230 V, single phase, red LED display	1
52	A.C. Energy Meter, Single Phase, 10A, 240 V induction type	1
53	Power Factor, microprocessor based Meter, Digital type, 440 V, 3Ph, for three phase	1
_	O0three wire two element type power factor digital meter.	_
54	Tong Tester / Clamp Meter, 0 - 100 A (Digital Type)	4
55	Megger, 500 volts Analog or Digital display.	4
56	3- point D.C. Starter, for 2.5 KW DC motor, housed in a box with operating handle.	1
	5 point 5.6. Starter, for 2.5 kW be motor, housed in a box with operating handle.	

SL	Item	Total		
		Quantity		
57	4- point D.C. Starter, for 2.5 KW DC motor, housed in a box with operating handle.	1		
58	Soldering Iron, 25-Watt, 65 Watt and 120-Watt, 230 Volt (set of 3 different wattages),	6		
	with wooden/plastic handle(Shock proof ha ndle) and soldering tips.			
59	Oil Testing Kit, operated on single phase 230 Volts, single phase 50 Hz, electric supply,	2		
	Output 0-50 KV Variable, fitted with oil testing kit, k volt meter, indicator lights, on-off			
	switches, fuse, adjustable rotating switch and toggle switches, for operation.			
60	DC Power Supply, 0 - 32, 5 A, regulated type	2		
61	Battery Charger, suitable for charging for 0 – 6volt – 9volt – 12volt - 24 Volt Batteries,	3		
	at 6 amp. Output Current Rating.			
62	D.C. Shunt Generator 2.5 KW, 220V with control panel and 5HP 440V, 3phase Squirrel	1		
	Cage Induction Motor with control panel & star delta starter, fitted on panel board,			
	Consist of:			
	(i)DC Shunt Generator 2.5KW, 220volts.			
	(ii)AC 5 HP squirrel cage induction motor, 440volts.			
	(iii)Both AC motor and DC shunt Generator, properly aligned and coupled with a			
	suitable coupling with coupling guard.			
	(iv)Control Panel fitted with meters for AC side and DC side, on engraved bakelite			
	sheet on a M.S. box / frame, suitable for table mounting and Educational type insulated terminals are to be fitted on both AC and DC sides.			
	The following meters are to be fitted in the panel board.			
	For AC Motor:			
	(a) One 72X 72mm square panel mounted AC 0-500Volt Meter;			
	(b) One 72X 72mm square panel mounted AC 0-10 Ampere Meter; (c) One 5 HP manually operated 5 HP Star Delta Starter.			
	(d) One Triple Pole 10 Ampere MCB.			
	(e) Three indicator Lights.			
	For DC Generator:			
	(a) One 72X 72mm square panel mounted DC 0-300Volt Meter;			
	(b) One 72X 72mm square panel mounted DC 0-15 Ampere Meter;			
	(c) One Tubular Rheostat 1.4 Ampere, 260 Ohms .			
	(d) One suitable MCB or DPST Knife Switch with fuse.			
<u> </u>	(e) One indicator Light.			

SL	L Item	
3L	itelli	Quantity
63	Motor-Generator (AC to DC) set:-	2
	Consist of : One Squirrel Cage Induction Motor, rating: 7.5 HP, 415V, 3 phase, 50	
	cycles, with star delta starter is to be fitted on panel Board and directly coupled with	
	suitable coupling to DC Shunt Generator of rating: 5 KW, 440V (Output voltage varies	
	110-440v). Both AC motor and DC shunt Generator, properly aligned and coupled	
	with a suitable coupling with coupling guard, mounted on heavy M. S. Channel	
	frame, duly fitted with fixing bolts, and both AC Motor and DC Shunt Generator are	
	properly aligned and coupled by a strong flexible coupling set. Complete with Switch/	
	Panel Board.	
	(1) Control Panel fitted with meters for AC side and DC side, on engraved bakelite sheet on a M.S. box / frame, suitable for table mounting and Educational type	
	insulated terminals are to be fitted on both AC and DC sides.	
	The following meters are to be fitted in the panel board.	
	For AC Motor:	
	(a) One 72X 72mm square panel mounted AC 0-500Volt Meter;	
	(b) One 72X 72mm square panel mounted AC 0-20 Ampere Meter;	
	(c) One 5 HP manually operated/ Automatic Star Delta Starter.	
	(d) One Triple Pole 16 Ampere MCB.	
	(e) Three indicator Lights.	
	For DC Generator:	
	(a) One 72X 72mm square panel mounted DC 0-500Volt Meter;	
	(b) One 72X 72mm square panel mounted DC 0-15 Ampere Meter;	
	(c) One Tubular Rheostat 1.1 Ampere, 800 Ohms .	
	(d) One suitable MCB or DPST Knife Switch with fuse.	
	(e) One indicator Light.	

SL	Item	Total Quantity
64	D.C. Compound Generator, 2.5 KW, 220V with control panel fitted with rheostat, voltmeter, ammeter and breaker (MCB) and 3phase Squirrel cage Induction Motor, 5HP, 440V, with star delta starter, fitted in the panel board. D C Compound Generator set consists of: (i) DC Generator 2.5 KW, 220 volts. (ii) AC 5 HP squirrel cage induction motor, 440 volts. (iii) Both AC motor and DC shunt Generator, properly aligned and coupled with a suitable coupling with coupling guard. (iv) Control Panel fitted with meters for AC side and DC side, on engraved bakelite sheet on a M.S. box / frame, suitable for table mounting and Educational type insulated terminals are to be fitted on both AC and DC sides. The following meters are to be fitted in the panel board. For AC Motor: (a) One 72X 72mm square panel mounted AC 0-500Volt Meter; (b) One 72X 72mm square panel mounted AC 0-10 Ampere Meter; (c) One 5 HP manually operated 5 HP Star Delta Starter. (d) One Triple Pole 10 Ampere MCB. (e) Three indicator Lights. For DC Generator: (a) One 72X 72mm square panel mounted DC 0-300Volt Meter; (b) One 72X 72mm square panel mounted DC 0-15 Ampere Meter; (c) One Tubular Rheostat 1.4 ampere, 260 Ohms. (d) One suitable MCB or DPST Knife Switch with fuse.	
65	DC Series Motor 2.5 KW, 220 Volts, with starter and switch, fitted in the panel board, coupled with spring balance load. The D.C. Series motor is to be fitted on a M. S. Iron Frame and coupled with Mechanical Loading Arrangement with Ponny Brake Arrangement, consisting of longitudinal spring balance, Canvas Belt with hooks, C. P. Wheels with threaded studs for easy tightening the canvas belt, for required load test and a C.I. Drum Pulley, suitable for water cooling. Required Panel Board with Meters, Starter, MCB/Switch. One Power supply is to be fitted in the panel board to get D. C. Output from the A.C. input supply, to avoid the D.C. Power to run the D.C. Series Motor. DC Shunt Motor 2.5 KW, 220 Volts, with starter and switch, fitted in the panel board, coupled with spring balance load. The motor is to be fitted on a M. S. Iron Frame and coupled with Mechanical Loading Arrangement with Ponny Brake Arrangement, consisting of longitudinal spring	2
	balance, Canvas Belt with hooks, C. P. Wheels with threaded studs for easy tightening the canvas belt, for required load test and a C. I. Drum Pulley, suitable for water cooling. Required Panel Board with meter, starter, MCB/Switch. One Power supply is to be fitted in the panel board to get D. C. Output from the A.C. input supply, to avoid the D.C. Power to run the D.C. Shunt Motor.	

SL	Item	Total Quantity			
67	board, coupled with spring balance load. The motor is to be fitted on a M. S. Iron Frame and coupled with Mechanical Loading Arrangement with Ponny Brake Arrangement, consisting of longitudinal spring balance, Canvas Belt with hooks, C. P. Wheels with threaded studs for easy tightenin the canvas belt, for required load test and a C. I. Drum Pulley, suitable for water cooling. Required Panel Board with meters, starter, MCB/ Switch. One Power supply is to be fitted in the panel board to get D. C. Output from the A.C. input supply, to avoid the D.C. Power to run the D.C. Shunt Motor				
68	AC phase-wound slip ring Motor, 5 HP, 440 V, 3 Phase, 50 Hz, 1440 rpm with starter and switch, fitted in the panel board and coupled with spring balance load. The motor is to be fitted on a M. S. Iron Frame and coupled with Mechanical Loading Arrangement with Ponny Brake Arrangement, consisting of longitudinal spring balance, Canvas Belt with hooks, C. P. Wheels with threaded studs for easy tightening the canvas belt, for required load test and a C. I. Drum Pulley, suitable for water cooling. Required Panel Board with meters, starter, MCB/ Switch, suitable for three phase Slipring induction motor.	2			
69	Synchronous motor with accessories like starter, excitation arrangements, 3 H.P., 3 Phase, 415/440V, 50Hz, 4 Pole,1500 rpm with mechanical type spring balanced loading systems and Control Panel Board, fitted with required meters/swicth etc. The motor is to be fitted on a M. S. Iron Frame and coupled with Mechanical Loading Arrangement with Ponny Brake Arrangement, consisting of longitudinal spring balance, Canvas Belt with hooks, C. P. Wheels with threaded studs for easy tightening the canvas belt, for required load test and a C. I. Drum Pulley, suitable for water cooling.	1			
70	Single phase Transformer, core type, air cooled, 1 KVA, 240 V, 50 Hz.	3			
71	Three phase transformer, shell type with Delta/ Star, 3 KVA , 415/240 V, 50 Hz, oil cooled type transformer.	2			
72	Motorised Bench Grinder, 1/2 HP (400W) 440V, 3 phase, 50 hz, 3000rpm, fitted with on-off rotary switch, Double ended grinder fitted with one smooth grinding wheel at one end and one rough grinding wheel at other end. 150mm(6") dia Grinding wheels are to be fitted in the bench grinder at both end with wheel guard and tool base/rest.	2			
73	Single Phase Capacitor Motor 1 HP, 240 V, 50 Hz, 1440 rpm, fitted with capacitor on the top of the motor and terminal box for connecting the input power supply to run the motor.	1			
74	Metal Rack, overall size: 78" Heigth x 36"Breath x 15"Depth, with four slotted angles and four shelves, with required fixing nut bolts, duly painted.	6			
75	Trainees Lockers with 8 drawers/compartments with pad locking arrangement, full size lockers: over all size:78"height x 36"width x 18" depth. Made from thick mild steel sheets, duly painted.	18			
76	Storage Almirah with three shelves, full size with extra width Almirah, over all size 78"Height x 48"Width x 18"Depth, Made from thick mild steel sheets, duly painted and fitted with handle and lock & Key.	9			
77	Screw Driver Set, packed in a box, contains 5 blades and one interchangeable shock proof handle.	8			

SL	Item	Total			
JL .	iteiii				
78	White Board 4' X 6' with one duster and one white board writing pen.	4			
79	Side cutting Plier 125/150mm, made of steel, duly forged & heat treated with thick insulation handle	24			
80	Rawl Plug tool kit, set of 6 of different assorted sizes.	4			
81	Steel Rule Graduated both in Metric and English Unit, 600 mm / 24 inch, made of	20			
01	thick steel sheet.	20			
82	Safety goggles, with clear glass, (plastic type goggles).	20			
83	Scrapping knife, can be used by painter (set of 3) two scaping knife, of different shape fitted with handle and one patty type scraper.	6			
84	Screw driver, spring steel blade and shock proof handle, made of Cellulose Acetate materials. Blade size 100mm (4") long.	4			
85	Screw driver, spring steel blade and shock proof handle, made of Cellulose Acetate materials. Blade 300mm (12") long.	32			
86	Soldering Iron, 25-Watt, pinnacle of all purpose soldering application, design and technology, supplied with soldering tips and connecting wire with plug, duly fitted.	8			
87	Crimping tool plier for better crimping of wire with lug.	4			
88	Magneto/Terry spanner set	2			
89	Scriber Straight/Bent 15 cm, properly heat treated and tempered, sharpened point and knurling for firm gripping.	50			
90	Box spanner set 6-25 mm set of 8 with Tommy bar, tubular type double ended	3			
	spanner set.				
91	Magnifying lens with illumination, battery operated and supplied with required	6			
02	battery set for illumination to see the objects, more clearly.	1			
92 93	Signal generator, Frequency Range: 100 KHz-100 MHz.	3			
93	Digital IC Trainer, 7 segment display and bread board, suitable for study and construction of various digital electronics lab experiment. With built-in power supply	5			
	+5V DV / 250mA. On board logic gates – OR, AND, NOT, NAND, NOR, EX-OR.				
94	Angle Plate adjustable of close grained cast iron, duly machined, 90° true working	1			
J 1	faces. Size 10cm length	_			
95	Piston ring compressor, adjustable type ring compressor with L handle.	2			
96	Tampered cutting edge, Scraper fitted with handle, flat, sharp edge 150 mm.	30			
97	Tampered cutting edge, Scraper fitted with handle, 3 corner sharp edge 150 mm.	30			
98	Tampered cutting edge, Scraper fitted with handle, half round sharp edge 150 mm.	30			
99	Universal scribing block 22 cm with fine point scriber to set at desired angle, with	2			
	stand.				
100	Vernier caliper 0-300mm, with slider clamping screw, suitable for measuring inside, outside & depth	1			
101	Water pump and fuel feed pump for dismantling & assembling.	1			
102	Trolley type portable air compressor, single cylinder 45L Air storage with electric	1			
	motor and fitted with pressure switch, pressure gauge, safety valve, non-return valve, dry type air inlet filter, after cooler other standard accessories.				
103	Moving Iron Meter, (set of three volt and ampere meters of assorted ranges),	4			
	Educational Desk Model, rectangular type, in enclosed box, fitted with college type				
104	terminals, to fit the connecting wires, for the safety of the students.	1.0			
104	File flat/hand 250 mm 2nd cut, made of steel with handle.	16			
105	File half round, 150 mm 2nd cut, made of steel with handle.	40			

Dot slot punch / prick punch, 10 cm, duly hardened and tempered. 20	CI	Itam	Total	
107 Spirit level 300mm long, metal body with bubble. 108 Stud Extractor Ezy—Out, set of 5 reverse bit of different sizes. 109 Micrometer 50 - 75 mm outside, with tipped measuring faces, positive locking clamp, clear graduation of 0.01mm. 110 Vernier caliper 0-150mm, with slider clamping screw, suitable for measuring inside, outside & depth. 111 Vernier height gauges 300 mm, for measuring the height of small parts. Beam and slider are made of steel, supplied with scriber. 112 Vernier height gauges 300 mm, for measurement of machines, moulds and jigs, supplied with blade 300mm. 113 Drill twist taper shank size 13-20mm, made from selected steel to withstand drilling in metal surface etc. (set of 5 pcs) 114 File triangular 15 cm smooth/2nd cut, made from steel with handle. 115 File round 20 cm second cut, made from steel with handle. 116 File square 25 cm second cut, made from steel with handle. 117 File triangular 20 cm second cut, made from steel with handle. 118 File flat/hand 20 cm bastard/2nd cut, made from steel with handle. 119 File flat 30 cm bastard, made from steel with handle. 120 File half round 25 cm second cut, made from steel with handle. 121 File half round 25 cm bastard, made from steel with handle. 122 File half round 25 cm second cut, made from steel with handle. 123 File half round 25 cm bastard, made from steel with handle. 124 Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated cutting edge, set of 2. 125 AC squirrel cage Motor 3HP 440V with D.O.L. Starter and ICTP Switch/MCB 1 Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should be strengthened with shock resisting C.L. casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearin	SL	Item	Quantity	
Stud Extractor Ezy- Out, set of 5 reverse bit of different sizes. 8	106		20	
Micrometer 50 - 75 mm outside, with tipped measuring faces, positive locking clamp, clear graduation of 0.01mm. Vernier calipre 0-150mm, with slider clamping screw, suitable for measuring inside, outside & depth. 111 Vernier height gauges 300 mm, for measuring the height of small parts. Beam and slider are made of steel, supplied with scriber. 112 Vernier bevel protractor, for angle measurement of machines, moulds and jigs, supplied with blade 300mm. 113 Drill twist taper shank size 13-20mm, made from selected steel to withstand drilling in metal surface etc. (set of 5 pcs) 114 File triangular 15 cm smooth/2nd cut, made from steel with handle. 10 File round 20 cm second cut, made from steel with handle. 115 File round 20 cm second cut, made from steel with handle. 116 File square 25 cm second cut, made from steel with handle. 117 File flat 30 cm bastard/2nd cut, made from steel with handle. 118 File flat 30 cm bastard/2nd cut, made from steel with handle. 120 File half round 25 cm second cut, made from steel with handle. 120 File half round 25 cm bastard, made from steel with handle. 121 File half round 25 cm bastard, made from steel with handle. 122 File nound 25 cm bastard, made from steel with handle. 123 Reamer adjustable hand upto 16mm, set of 8, fitted with adjustable blades 124 Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated cutting edge, set of 2. 125 AC squirrel cage Motor 3HP 440V with D.O.L. Starter and ICTP Switch/MCB 1 Drill sleeve set of three sizes. 126 Drill sleeve set of three sizes. 127 Bench vice 15 cm jaw fixed base, rib type, Jaw plates should be replaceable and made of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should be strengthened with shock resisting C.I. casting for long dependable service. The large Diameter main screw is to be made of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should	107			
clear graduation of 0.01mm. Vernier caliper 0-150mm, with slider clamping screw, suitable for measuring inside, outside & depth. 111 Vernier height gauges 300 mm, for measuring the height of small parts. Beam and slider are made of steel, supplied with scriber. 112 Vernier bevel protractor, for angle measurement of machines, moulds and jigs, supplied with blade 300mm. 113 Drill twist taper shank size 13-20mm, made from selected steel to withstand drilling in metal surface etc. (set of 5 pcs) 114 File triangular 15 cm smooth/2nd cut, made from steel with handle. 115 File round 20 cm second cut, made from steel with handle. 116 File square 25 cm second cut, made from steel with handle. 117 File triangular 20 cm second cut, made from steel with handle. 118 File flat/hand 20 cm bastard/cnd cut, made from steel with handle. 119 File flat 30 cm bastard, made from steel with handle. 120 File half round 25 cm second cut, made from steel with handle. 121 File half round 25 cm bastard, made from steel with handle. 122 File round 25 cm bastard, made from steel with handle. 123 File sound 25 cm bastard, made from steel with handle. 124 Chiel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated cutting edge, set of 2. 125 AC squirrel cage Motor 3HP 4440V with D.O.L. Starter and ICTP Switch/MCB 1 Drill sleeve set of three sizes. 1 Drill sleeve set of three sizes. 1 Drill sleeve set of three sizes. 1 Drill sleeve set of stree sizes. 1 Drill sleeve set of flave sizes should be strengthened with shock resisting C.L. casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications: Size : 150mm (6"), Width of Jaws : 150 mm, Opening of Jaws : 200mm, Depth of Jaws : 90mm, Weight (approx) : 25 kg. 128 Steel Rule	108	Stud Extractor Ezy- Out, set of 5 reverse bit of different sizes.		
110 Vernier caliper 0-150mm, with slider clamping screw, suitable for measuring inside, outside & depth. 111 Vernier height gauges 300 mm, for measuring the height of small parts. Beam and slider are made of steel, supplied with scriber. 112 Vernier bevel protractor, for angle measurement of machines, moulds and jigs, supplied with blade 300mm. 113 Drill twist taper shank size 13-20mm, made from selected steel to withstand drilling in metal surface etc. (set of 5 pcs) 114 File triangular 15 cm smooth/2nd cut, made from steel with handle. 115 File round 20 cm second cut, made from steel with handle. 116 File square 25 cm second cut, made from steel with handle. 117 File triangular 20 cm second cut, made from steel with handle. 118 File flat/hand 20 cm bastard/2nd cut, made from steel with handle. 119 File flat 30 cm bastard/2nd cut, made from steel with handle. 120 File half round 25 cm bastard/2nd cut, made from steel with handle 121 File half round 25 cm second cut, made from steel with handle 122 File half round 25 cm bastard, made from steel with handle 123 File square 25 cm bastard, made from steel with handle 124 File salf round 25 cm bastard, made from steel with handle 125 File round 25 cm bastard, made from steel with handle 126 File sound 25 cm bastard, made from steel with handle 127 File round 25 cm bastard, made from steel with handle 128 Reamer adjustable hand upto 16mm, set of 8, fitted with adjustable blades 129 File sound 25 cm bastard, made from steel with handle 120 File salf round 25 cm bastard, made from steel with handle 121 File round 25 cm bastard, made from steel with handle 122 File round 25 cm bastard, made from steel with handle 123 Reamer adjustable hand upto 16mm, set of 8, fitted with adjustable blades 124 Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated cutting edge, set of 2. 125 Ac Squirrel cage Motor 3HP 440V with D.O.L. Starter and ICTP Switch/MCB 1 Drill sleeve set of three sizes. 126 Bench vice 15 cm jaw fixed base, ri	109			
outside & depth. Vernier height gauges 300 mm, for measuring the height of small parts. Beam and slider are made of steel, supplied with scriber. 112 Vernier bevel protractor, for angle measurement of machines, moulds and jigs, supplied with blade 300mm. 113 Drill twist taper shank size 13-20mm, made from selected steel to withstand drilling in metal surface etc. (set of 5 pcs) 114 File triangular 15 cm smooth/2nd cut, made from steel with handle. 115 File round 20 cm second cut, made from steel with handle. 116 File square 25 cm second cut, made from steel with handle. 117 File triangular 20 cm second cut, made from steel with handle. 118 File flat/hand 20 cm bastard/2nd cut, made from steel with handle. 119 File flat/hand 20 cm bastard/2nd cut, made from steel with handle. 120 File flat/hand 20 cm bastard/2nd cut, made from steel with handle. 121 File half round 25 cm second cut, made from steel with handle 122 File half round 25 cm bastard, made from steel with handle 123 File half round 25 cm bastard, made from steel with handle 124 Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated cutting edge, set of 2. 125 AC squirrel cage Motor 3HP 440V with D.O.L. Starter and ICTP Switch/MCB 1 Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated cutting edge, set of 5. 126 Drill sleeve set of three sizes. 127 Bench vice 15 cm jaw fixed base, rib type, Jaw plates should be replaceable and made of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should be strengthened with shock resisting C.I. casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size : 150mm (6°1), Width of Jaws : 150 mm	440			
slider are made of steel, supplied with scriber. 112 Vernier bevel protractor, for angle measurement of machines, moulds and jigs, supplied with blade 300mm. 113 Drill twist taper shank size 13-20mm, made from selected steel to withstand drilling in metal surface etc. (set of 5 pcs) 114 File triangular 15 cm smooth/2nd cut, made from steel with handle. 115 File round 20 cm second cut, made from steel with handle. 116 File square 25 cm second cut, made from steel with handle. 117 File triangular 20 cm second cut, made from steel with handle. 118 File flat/hand 20 cm bastard/2nd cut, made from steel with handle. 119 File stain on bastard, made from steel with handle. 120 File half round 25 cm second cut, made from steel with handle. 121 File half round 25 cm second cut, made from steel with handle. 122 File half round 25 cm bastard, made from steel with handle. 123 Reamer adjustable hand upto 16mm, set of 8, fitted with adjustable blades. 124 Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated cutting edge, set of 2. 125 AC squirrel cage Motor 3HP 440V with D.O.L. Starter and ICTP Switch/MCB. 1 Drill sleeve set of three sizes. 127 Bench vice 15 cm jaw fixed base, rib type, Jaw plates should be replaceable and made of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should be strengthened with shock resisting C.I. casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size : 150mm (6"), Width of Jaws : 150 mm, Opening of Jaws : 200mm, Depth of Jaws : 90mm, Weight (approx) : 25 kg 128 Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. 149 Air plasma cutting equipment with all standard a	110		1	
Vernier bevel protractor, for angle measurement of machines, moulds and jigs, supplied with blade 300mm. Drill twist taper shank size 13-20mm, made from selected steel to withstand drilling in metal surface etc. (set of 5 pcs) 114 File triangular 15 cm smooth/2nd cut, made from steel with handle. 115 File round 20 cm second cut, made from steel with handle. 116 File square 25 cm second cut, made from steel with handle. 117 File triangular 20 cm second cut, made from steel with handle. 118 File flat/hand 20 cm bastard/2nd cut, made from steel with handle. 120 File flat 30 cm bastard, made from steel with handle 121 File flat 30 cm bastard, made from steel with handle 122 File nound 25 cm bastard, made from steel with handle 123 File round 25 cm bastard, made from steel with handle 124 File round 25 cm bastard, made from steel with handle 125 File round 25 cm bastard, made from steel with handle 126 File round 25 cm bastard, made from steel with handle 127 File round 25 cm bastard, made from steel with handle 128 Reamer adjustable hand upto 16mm, set of 8, fitted with adjustable blades 129 File round 25 cm bastard, made from steel with handle 120 File round 25 cm bastard, made from steel with handle 121 File round 25 cm bastard, made from steel with handle 122 File round 25 cm bastard, made from steel with handle 123 Reamer adjustable hand upto 16mm, set of 8, fitted with adjustable blades 1 Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated cutting edge, set of 2. 125 AC squirrel cage Motor 3HP 440V with D.O.L. Starter and ICTP Switch/MCB 1 Drill sleeve set of three sizes. 126 Bench vice 15 cm jaw fixed base, rib type, Jaw plates should be replaceable and made of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should be strengthened with shock resisting C.I. casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and re	111		1	
Drill twist taper shank size 13-20mm, made from selected steel to withstand drilling in metal surface etc. (set of 5 pcs) 114 File triangular 15 cm smooth/2nd cut, made from steel with handle. 115 File round 20 cm second cut, made from steel with handle. 116 File square 25 cm second cut, made from steel with handle. 117 File triangular 20 cm second cut, made from steel with handle. 118 File flat/hand 20 cm bastard/2nd cut, made from steel with handle. 119 File flat 30 cm bastard, made from steel with handle 120 File half round 25 cm second cut, made from steel with handle 121 File flat 30 cm bastard, made from steel with handle 122 File round 25 cm bastard, made from steel with handle 123 File round 25 cm bastard, made from steel with handle 124 File round 25 cm bastard, made from steel with handle 125 File round 25 cm bastard, made from steel with handle 126 Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated cutting edge, set of 2. 127 AC squirrel cage Motor 3HP 440V with D.O.L. Starter and ICTP Switch/MCB 1 Drill sleeve set of three sizes. 128 Bench vice 15 cm jaw fixed base, rib type, Jaw plates should be replaceable and made of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should be strengthened with shock resisting C.I. casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size : 150mm, (dly graduated. Made from selected thick steel sheets. 129 Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industri	112	Vernier bevel protractor, for angle measurement of machines, moulds and jigs,	1	
metal surface etc. (set of 5 pcs) File triangular 15 cm smooth/2nd cut, made from steel with handle. 10 115 File round 20 cm second cut, made from steel with handle. 116 File square 25 cm second cut, made from steel with handle. 117 File triangular 20 cm second cut, made from steel with handle. 118 File flat/hand 20 cm bastard/2nd cut, made from steel with handle. 119 File flat 30 cm bastard, made from steel with handle 120 File half round 25 cm second cut, made from steel with handle 121 File half round 25 cm bastard, made from steel with handle 122 File round 25 cm bastard, made from steel with handle 123 Reamer adjustable hand upto 16mm, set of 8, fitted with adjustable blades 124 Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated cutting edge, set of 2. 125 AC squirrel cage Motor 3HP 440V with D.O.L. Starter and ICTP Switch/MCB 1 Drill sleeve set of three sizes. 2 Drill sleeve set of three sizes. 3 Drill sleeve set of three sizes. 4 Drill sleeve set of three sizes. 5 Drill sleeve set of three sizes. 6 Drill sleeve set of three sizes. 10 Drill sleeve set of three sizes. 10 Drill sleeve set of three sizes. 11 Drill sleeve set of three sizes. 12 Bench vice 15 cm jaw fixed base, rib type, Jaw plates should be replaceable and made of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should be strengthened with shock resisting C.I. casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size:	113		1	
File triangular 15 cm smooth/2nd cut, made from steel with handle. 115 File round 20 cm second cut, made from steel with handle. 116 File square 25 cm second cut, made from steel with handle. 117 File triangular 20 cm second cut, made from steel with handle. 118 File flat/hand 20 cm bastard/2nd cut, made from steel with handle. 119 File flat 30 cm bastard, made from steel with handle 120 File half round 25 cm second cut, made from steel with handle 121 File half round 25 cm bastard, made from steel with handle 122 File round 25 cm bastard, made from steel with handle 123 File round 25 cm bastard, made from steel with handle 124 File round 25 cm bastard, made from steel with handle 125 File round 25 cm bastard, made from steel with handle 126 File round 25 cm bastard, made from steel with handle 127 File round 25 cm bastard, made from steel with handle 128 File round 25 cm bastard, made from steel with handle 129 Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated cutting edge, set of 2. 120 Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated cutting edge, set of 2. 121 AC squirrel cage Motor 3HP 440V with D.O.L. Starter and ICTP Switch/MCB 122 Drill sleeve set of three sizes. 123 Bench vice 15 cm jaw fixed base, rib type, Jaw plates should be replaceable and made of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should be strengthened with shock resisting C.I. casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size : 150mm, Gly graduated. Made from selected thick steel sheets. 128 Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. 149 Air plasma c			_	
115 File round 20 cm second cut, made from steel with handle. 20 116 File square 25 cm second cut, made from steel with handle. 10 117 File triangular 20 cm second cut, made from steel with handle. 20 118 File flat/hand 20 cm bastard/2nd cut, made from steel with handle 20 119 File flat 30 cm bastard, made from steel with handle 20 120 File half round 25 cm second cut, made from steel with handle 20 121 File half round 25 cm bastard, made from steel with handle 20 122 File round 25 cm bastard, made from steel with handle 8 123 Reamer adjustable hand upto 16mm, set of 8, fitted with adjustable blades 1 124 Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated 4 cutting edge, set of 2. 2 125 AC squirrel cage Motor 3HP 440V with D.O.L. Starter and ICTP Switch/MCB 1 126 Drill sleeve set of three sizes. 2 127 Bench vice 15 cm jaw fixed base, rib type, Jaw plates should be replaceable and made of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should be strengthened with shock resisting C.I. casting for long dependable service. The large Diameter main screw is to be made of hi	114		10	
File triangular 20 cm second cut, made from steel with handle. File flat/hand 20 cm bastard/2nd cut, made from steel with handle File flat 30 cm bastard, made from steel with handle File flat 30 cm bastard, made from steel with handle File half round 25 cm second cut, made from steel with handle File round 25 cm bastard, made from steel with handle File round 25 cm bastard, made from steel with handle File round 25 cm bastard, made from steel with handle File round 25 cm bastard, made from steel with handle File round 25 cm bastard, made from steel with handle Reamer adjustable hand upto 16mm, set of 8, fitted with adjustable blades Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated cutting edge, set of 2. File flat 30 cm bastard, made from steel with handle Activated and ground, duly heat treated activated and ground, duly heat treated cutting edge, set of 2. File round 25 cm bastard, made from steel with adjustable blades To see a consider the second of the second				
File flat/hand 20 cm bastard/2nd cut, made from steel with handle 19 File flat 30 cm bastard, made from steel with handle 20 File half round 25 cm second cut, made from steel with handle 21 File half round 25 cm bastard, made from steel with handle 22 File round 25 cm bastard, made from steel with handle 23 File round 25 cm bastard, made from steel with handle 24 File round 25 cm bastard, made from steel with handle 25 File round 25 cm bastard, made from steel with handle 26 File round 25 cm bastard, made from steel with handle 27 File round 25 cm bastard, made from steel with handle 28 File round 25 cm bastard, made from steel with handle 29 File round 25 cm bastard, made from steel with handle 20 File round 25 cm bastard, made from steel with handle 20 File round 25 cm bastard, made from steel with handle 20 File round 25 cm bastard, made from steel with handle 20 File round 25 cm bastard, made from steel with handle 20 File round 25 cm bastard, made from steel with handle 20 File round 25 cm bastard, made from steel with handle 20 File round 25 cm bastard, made from steel with handle 20 File round 25 cm bastard, made from steel with handle 20 File round 25 cm bastard, made from steel with handle 20 File round 25 cm bastard, made from steel with handle 21 File round 25 cm bastard, made from steel with handle 22 File round 25 cm bastard, made from steel with handle 23 File round 25 cm bastard, made from steel with all stone-should be replaceable and made of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should be strengthened with shock resisting C.I. casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size : 150mm (6"),	116	File square 25 cm second cut, made from steel with handle.	10	
File flat 30 cm bastard, made from steel with handle 20 120 File half round 25 cm second cut, made from steel with handle 21 File half round 25 cm bastard, made from steel with handle 22 File round 25 cm bastard, made from steel with handle 23 Reamer adjustable hand upto 16mm, set of 8, fitted with adjustable blades 14 Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated cutting edge, set of 2. 15 AC squirrel cage Motor 3HP 440V with D.O.L. Starter and ICTP Switch/MCB 16 Drill sleeve set of three sizes. 17 Bench vice 15 cm jaw fixed base, rib type, Jaw plates should be replaceable and made of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should be strengthened with shock resisting C.I. casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size: 150mm (6"), Width of Jaws: 150 mm, Opening of Jaws: 200mm, Depth of Jaws: 90mm, Weight (approx): 25 kg 128 Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. 419 Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum	117	File triangular 20 cm second cut, made from steel with handle.	20	
File half round 25 cm second cut, made from steel with handle 121 File half round 25 cm bastard, made from steel with handle 122 File round 25 cm bastard, made from steel with handle 123 Reamer adjustable hand upto 16mm, set of 8, fitted with adjustable blades 1 Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated 124 cutting edge, set of 2. 125 AC squirrel cage Motor 3HP 440V with D.O.L. Starter and ICTP Switch/MCB 1 Drill sleeve set of three sizes. 1 2 Bench vice 15 cm jaw fixed base, rib type, Jaw plates should be replaceable and made 10 of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts- 126 beefed-up areas of greatest stress should be strengthened with shock resisting C.l. 127 casting for long dependable service. The large Diameter main screw is to be made of 10 high grade steel having fine pitched and square thread. Detachable and replaceable 128 nut made of forged steel. Precision machine component & bearing surface are to be 129 provided in the bench vice for smooth operation and reliability with more anvil area. 129 Steel Rule 6" 150mm, Weight (approx): 25 kg 128 Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. 129 Air plasma cutting equipment with all standard accessories and one torch. Capacity to 120 cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, 120 durable, High frequency and low maintenance cost machine. Most suitable for 121 production work in industries and for trainees. Arc Striking for ease of operation, 122 input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching 123 technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input 129 power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum	118	File flat/hand 20 cm bastard/2nd cut, made from steel with handle	20	
File half round 25 cm bastard, made from steel with handle File round 25 cm bastard, made from steel with handle Reamer adjustable hand upto 16mm, set of 8, fitted with adjustable blades Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated cutting edge, set of 2. AC squirrel cage Motor 3HP 440V with D.O.L. Starter and ICTP Switch/MCB 126 Drill sleeve set of three sizes. 2 Bench vice 15 cm jaw fixed base, rib type, Jaw plates should be replaceable and made of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should be strengthened with shock resisting C.I. casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size: 150mm (6"), Width of Jaws: 150 mm, Opening of Jaws: 200mm, Depth of Jaws: 99mm, Weight (approx): 25 kg Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum	119	File flat 30 cm bastard, made from steel with handle	20	
File round 25 cm bastard, made from steel with handle Reamer adjustable hand upto 16mm, set of 8, fitted with adjustable blades Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated cutting edge, set of 2. AC squirrel cage Motor 3HP 440V with D.O.L. Starter and ICTP Switch/MCB 126 Drill sleeve set of three sizes. 2 Bench vice 15 cm jaw fixed base, rib type, Jaw plates should be replaceable and made of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should be strengthened with shock resisting C.I. casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size: 150mm (6"), Width of Jaws: 150 mm, Opening of Jaws: 200mm, Depth of Jaws: 90mm, Weight (approx): 25 kg Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. 64 Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum	120	File half round 25 cm second cut, made from steel with handle	20	
123 Reamer adjustable hand upto 16mm, set of 8, fitted with adjustable blades 1 124 Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated cutting edge, set of 2. 125 AC squirrel cage Motor 3HP 440V with D.O.L. Starter and ICTP Switch/MCB 1 126 Drill sleeve set of three sizes. 2 127 Bench vice 15 cm jaw fixed base, rib type, Jaw plates should be replaceable and made of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should be strengthened with shock resisting C.I. casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size: 150mm (6"), Width of Jaws: 150 mm, Opening of Jaws: 200mm, Depth of Jaws: 90mm, Weight (approx): 25 kg 128 Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. 129 Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum	121	File half round 25 cm bastard, made from steel with handle	20	
124 Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated cutting edge, set of 2. 125 AC squirrel cage Motor 3HP 440V with D.O.L. Starter and ICTP Switch/MCB 126 Drill sleeve set of three sizes. 127 Bench vice 15 cm jaw fixed base, rib type, Jaw plates should be replaceable and made of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should be strengthened with shock resisting C.I. casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size: 150mm (6"), Width of Jaws: 150 mm, Opening of Jaws: 200mm, Depth of Jaws: 90mm, Weight (approx): 25 kg 128 Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. 64 129 Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum	122	File round 25 cm bastard, made from steel with handle	8	
cutting edge, set of 2. 125 AC squirrel cage Motor 3HP 440V with D.O.L. Starter and ICTP Switch/MCB 1 126 Drill sleeve set of three sizes. 2 127 Bench vice 15 cm jaw fixed base, rib type, Jaw plates should be replaceable and made of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should be strengthened with shock resisting C.I. casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size: 150mm (6"), Width of Jaws: 150 mm, Opening of Jaws: 200mm, Depth of Jaws: 90mm, Weight (approx): 25 kg 128 Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. 64 129 Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum	123	Reamer adjustable hand upto 16mm, set of 8, fitted with adjustable blades	1	
125 AC squirrel cage Motor 3HP 440V with D.O.L. Starter and ICTP Switch/MCB 126 Drill sleeve set of three sizes. 127 Bench vice 15 cm jaw fixed base, rib type, Jaw plates should be replaceable and made of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should be strengthened with shock resisting C.I. casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size: 150mm (6"), Width of Jaws: 150 mm, Opening of Jaws: 200mm, Depth of Jaws: 90mm, Weight (approx): 25 kg 128 Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. 64 129 Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum	124	Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated	4	
Drill sleeve set of three sizes. 127 Bench vice 15 cm jaw fixed base, rib type, Jaw plates should be replaceable and made of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should be strengthened with shock resisting C.l. casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size : 150mm (6"), Width of Jaws : 150 mm, Opening of Jaws : 200mm, Depth of Jaws : 90mm, Weight (approx) : 25 kg 128 Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. 64 Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum		cutting edge, set of 2.		
127 Bench vice 15 cm jaw fixed base, rib type, Jaw plates should be replaceable and made of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should be strengthened with shock resisting C.I. casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size : 150mm (6"), Width of Jaws : 150 mm, Opening of Jaws : 200mm, Depth of Jaws : 90mm, Weight (approx) : 25 kg 128 Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. 64 129 Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum	125	AC squirrel cage Motor 3HP 440V with D.O.L. Starter and ICTP Switch/MCB	1	
of hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts-beefed-up areas of greatest stress should be strengthened with shock resisting C.I. casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size: 150mm (6"), Width of Jaws: 150 mm, Opening of Jaws: 200mm, Depth of Jaws: 90mm, Weight (approx): 25 kg 128 Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. 64 Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum	126		2	
beefed-up areas of greatest stress should be strengthened with shock resisting C.I. casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size: 150mm (6"), Width of Jaws: 150 mm, Opening of Jaws: 200mm, Depth of Jaws: 90mm, Weight (approx): 25 kg 128 Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. 64 Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum	127		10	
casting for long dependable service. The large Diameter main screw is to be made of high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size: 150mm (6"), Width of Jaws: 150 mm, Opening of Jaws: 200mm, Depth of Jaws: 90mm, Weight (approx): 25 kg 128 Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. 64 Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum				
high grade steel having fine pitched and square thread. Detachable and replaceable nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size: 150mm (6"), Width of Jaws: 150 mm, Opening of Jaws: 200mm, Depth of Jaws: 90mm, Weight (approx): 25 kg 128 Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum				
nut made of forged steel. Precision machine component & bearing surface are to be provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size: 150mm (6"), Width of Jaws: 150 mm, Opening of Jaws: 200mm, Depth of Jaws: 90mm, Weight (approx): 25 kg 128 Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum				
provided in the bench vice for smooth operation and reliability with more anvil area. Specifications:- Size: 150mm (6"), Width of Jaws: 150 mm, Opening of Jaws: 200mm, Depth of Jaws: 90mm, Weight (approx): 25 kg 128 Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum				
Specifications:- Size: 150mm (6"), Width of Jaws: 150 mm, Opening of Jaws: 200mm, Depth of Jaws: 90mm, Weight (approx): 25 kg 128 Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. 64 129 Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum				
Depth of Jaws: 90mm, Weight (approx): 25 kg 128 Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. 129 Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum		· · · · · · · · · · · · · · · · · · ·		
128 Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets. 129 Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum				
Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum	120		<i>C</i> /	
cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum				
durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum	129		1	
production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum				
input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum				
technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum		,		
power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum				
Tarini and the same of the sam				
insulation, IP21S enclosure protection class.		• • • • • • • • • • • • • • • • • • • •		

SL	. Item	
		Quantity
130	Air Compressor suitable for above Air Plasma cutting system, should be capable to give free air delivery of 439 litre per minute with piston displacement of 19.6cfm and two stage compression. Fitted with suitable electric motor, operated on 415V, 3phase 50Hz. and class F insulation. Finger type valves fitted at LP and HP side. Air cooled system is to be provided for cooling top block, inter cooler and after cooler. Fitted with dry type air filter. The compressor and its fittings are to be mounted on 220 litre air receiver tank. As a safety measure, safety valve is to be fitted on the tank. The maximum working pressure of the compressor should be 12.0 Kgf/cm² g or 175psi(g) or 12 bar (g). One pressure adjustable switch is to be provided for Auto-Cut and Auto-Start the motor of compressor machine at desired pre-set air pressure in the tank and one non returned valve should also be provided for protecting the return of air from air receiver tank. Fitted with V type Cylinder configuration. Square cage induction TEFC main drive motor having SF 1.1 intermittent duty is to be fitted with compressor and type of drive transmission should be taper lock driven i.e. direct drive type to eliminate the use of belts(V-Belts). This direct drive system will eliminate the changing of belts from time to time and save the maintenance cost of belts. This will give long and durable services to the compressor.	1
131	GMAW welding machine, 400 Ampere, with air cooled torch, regulator, gas preheater, gas hose and standard accessories. GMAW Welding Machine 400 Amp. digitally controlled, IGBT invertor based, SMD technology, compatible to power generator supply, auto weld stop system when welding torch is taken away from the weld job, energy savings by high power factor, digital panel for adjusting the welding parameters, max. power factor is 0.93, electronic choke for better arc control. Protections systems is to be provided to protect under voltage, over voltage, over temperature and single Phase prevention. Operated on three phase 415 volts (+)15% (-)10% 50/60 Hz. No load KVA is 0.24KVA and at 100% duty cycle is 12 KVA. Welding current range 50-400 Amp. and open circuit voltage is 65 volts plus minus 5%. Forced air cooling system, ingress protection is class IP23 and 70dB audio noise emission. Suitable welding wire diameter in mm is for aluminium 1.2–1.6mm and for steel 0.8, 1.0, 1.2 and 1.6mm. Wire feed speed is 1.5-18 m/min. Complete with air cooled Mig torch, wire feeder, power source, interconnecting cables, CO2 regulator, gas preheater, 6meter hose and earthing cable assembly. A product from Nationally reputed company.	1

SL	Item	Total Quantity
132	Power Saw machine, Size of Blade 14" (350mm). Hydraulic Feed System, suitable for fitting Saw Blade of 400mm size, powered by 0.75 KW electric motor and as per following technical specification; Feed saw should be controlled Hydraulically by two levers and are provided at the dash-pot. One lever for controlling the rate of feed while the other enables the bow slide to raised or lowered. Electric motor should get switched off, on completion of the cut. Push button starter with trip adjustable mechanism is to be fitted to stop the machine, soon after the blade is released/clear from the work. The bed, saw frame, vice etc. etc. are to be of rigid construction/casting, for longer life of the machine. The saw frame is to be runs in prismatic guide, ensuring a square and parallel cut and this cut should take place on the backward pull stroke. The saw blade is to be hydraulically lifted out of contact with work place on the forward stroke to prevent wear/damages of the blade. Coolant pump system with enclosed coolant tank is to be provided for continuously supply the coolant to the saw blade, while in operation. One two jaws vice is to be provided and one jaw of the vice remain fixed and another jaw can be adjusted to grip/ hold the materials to be cut. An automatic cut out operational system is to be provided, so that the bow slide returns to the top position, after completion of the operation. The machine should be capable to run on 0.75KW (1HP) electric motor. The drive gives to the hacksaw machine through V-Belts. The belt tension / adjustment system is also to be provided. The shafts are to be fitted with taper/ball bearing to eliminate friction. Two operational speeds should be provided, (a) high speed for cutting of mild steel, brass, copper etc. and (b) low speed for cutting of cast iron. Cutting capacity of the machine should be up to 200mm of round bar and up to 150mm square bar. Either 16" (400mm) or 14" (350mm) size, any one Saw Blade can be fitted for cutting at 100 – 120 strokes per minute (approx.), as	1
133 134	Velcro Rollers, set of 12 nos. (large, medium & small) made of plastic (round). Perm rollers, set of 12 nos. (large, medium & small).	12 8
135	Manicure Bowls small standard size made of plastic.	4
136	Spray bottle, standard size, suitable for beauty parlour.	4
137	Infra-Red Lamp, electrically operated on 220/230Volts A.C.Mains supply.	1
138	Tail comb.	8
139	Nail file with handle.	4
140	Plain switches.	4
141 142	Nail cutter, fitted with nail file operation. Make up Brush set (assorted type)	8 4
143	Dye bowl, made of plastic.	1
144	Dryer (Hair), electrically operated on 220/230Volts A.C.Mains supply.	1
145	Facial band.	4
146	Wax applicator	2
147	Leather hand glove pair set.	17
148	Rubber hose oxygen 8mm X 10mtr with one pair of adjustable hose clamps.	1
149	Rubber hose acetylene 8mm X 10mtr with one pair of adjustable hose clamps.	1

Technical Specifications Compliance Statement to be uploaded by bidder

SL	Item	Total Quantity	Compliance (Yes / No)	Deviation details (if any)
1	Measuring Steel Tape, 5 metre, in a handy packing.	12		
2	Combination Plier Insulated, 150 mm, made of chrome vanadium steel, drop forged with thick insulated handle.	27		
3	Screwdriver Insulated, 5mm X 150 mm, Diamond Head / Phillip Head, spring steel blade and handle made of Cellulose Acetate materials.	24		
4	Screwdriver insulated (HD), 5mm X 200 mm, spring steel blade and handle made of Cellulose Acetate materials .	8		
5	Electrician Screwdriver thin stem Insulated handle, 5mm X 250 mm, spring steel blade and handle made of Cellulose Acetate materials.	32		
6	Centre Punch 10 cm and 150mm(set of two), duly tampered with knurling body to grip	9		
7	Knife Blade Electrician, 100mm, folding type for safety of the trainees.	30		
8	Neon Tester, 500 V, Spring Steel blade, handle made of Cellulose Acetate materials.	40		
9	Steel Rule 300 mm / 12 inch, Graduated both in Metric and English Units, made of Stainless Steel.	50		
10	Hammer, Cross / Ball pein with handle, 200-100 grams, duly drop forged head.	32		
11	Hammer, ball pein with handle, 500 grams, duly drop forged head.	24		
12	C- Clamp, size: 200 mm and 100 mm (set of 2), manufactured from ductile SG iron casting, Fine thread screw, suitable for metal working applications.	4		
13	Spanner Adjustable, duly drop forged, size 150 and 300mm (set of 2)	4		
14	Blow lamp brass with 0.5 litre storage capacity, pumping system, portable lamp.	1		
15	Chisel Cold, Flat / Octagonal, 20/22 mm X 150/200 mm, drop forged cutting edge.	32		
16	Allen Key set, made of alloy steel, size 1.5 to 10 mm (set of 9 Allen Keys)	3		
17	Pully Puller with 2 / 3 legs, 100/150 mm & 200/300mm (set of 2), duly drop forged.	1		
18	Bearing Puller (inside and outside) 150/200 mm (set of 2), duly drop forged.	1		
19	Pipe vice cast Iron with hardened jaw open/close type, Frame & Jaws made of shock resisting cast iron, main screw is made of high-grade steel, size: 50 mm / 75mm	2		
20	Scissors blade, 200mm, cutting edges are duly tampered and sharpened.	4		
21	Scissors blade, 150 mm, cutting edges are duly tampered and sharpened.	4		

SL	Item	Total Quantity	Compliance (Yes / No)	Deviation details (if any)
22	Wire Cutter and Stripper, 150 mm, adjustable wire cutter and stripper for wire from 0.2mm to 6mm, duly tampered.	12		
23	Mallet hard wood / plastic / rubber, fitted with handle.	4		
24	Hammer Extractor/claw type, 200/300 grams, with handle, duly drop forged head.	4		
25	Hacksaw frame, Adjustable 300 mm, made of rectangular pipe frame, heavy duty with one 300mm hacksaw blade with each hacksaw frame.	48		
26	Engineer Try Square, duly graduated, 150mm, properly aligned stock and tampered blade.	52		
27	Adjustable Spring Calliper, Outside, 150 mm, spring joint with centrally located nut for adjustment.	18		
28	Adjustable Spring Calliper, Inside, 150 mm, spring joint with centrally located nut for adjustment.	34		
29	Adjustable Spring Calliper, Divider, 150 mm, spring joint with centrally located nut for adjustment.	34		
30	Pliers long nose insulated, 130 mm, made of steel, duly drop forged and heat treated with thick insulation handle.	30		
31	Pliers flat nose insulated, 160 / 165 mm, made of steel, duly drop forged and heat treated with thick insulation handle.	8		
32	Pliers round nose insulated, 160/165 mm, made of steel, duly drop forged and heat treated with thick insulation handle.	4		
33	Tweezers, 100/150 mm, duly tampered.	66		
34	Snip Straight heavy duty 250 mm, cutting edges are duly tampered and sharpened.	2		
35	D.E. metric Spanner Double Ended, open jaw, 6 - 32 mm, made of chrome vanadium steel, double ended open Jaw type spanner set, duly tampered.	4		
36	Drill S.S. Twist block, 2 mm to 12 mm set of 7 straight shank drill bits, made by high quality steel and properly tampered.	3		
37	Gauge, wire imperial stainless steel marked in SWG and mm, gauge in round shape.	1		
38	File flat smooth, 250 mm, made by high quality steel and with wooden/plastic handle.	16		
39	Copper bit soldering iron, fire heated, 0.25 kg.	2		
40	De soldering Gun, Heatproof nozzle, PVC type, standard size, hand operated.	24		
41	Hand Vice, 50 mm, duly forged and tampered.	4		

SL	Item	Total Quantity	Compliance (Yes / No)	Deviation details (if any)
42	Tools maker Vice with clamp adjustable, 50mm & 100 mm, duly forged and tampered.	2		
43	Oil Can, 250 ml, pressure type oil can	1		
44	Portable Electric Drill Machine 0 - 13 mm drilling capacity, operated on A.C.220v-240v single phase electric power, complete with chuck and key, handle, connecting wire.	1		
45	Out Side Micrometer, 0 - 25 mm, least count 0.01mm, Clear graduations on satin-chrome finish, Positive locking clamp, Carbide-tipped measuring faces, Hammer tone-green, backed-enamel-finished frame, Measuring Range 0-25mm, Least count with 0.01mm Graduation, Accuracy ± 2 micrometer.	3		
46	Safety Belt, Standard quality.	2		
47	Digital Multi Meter 3% digit, DC 200mv -1000V,0 - 10A DC & AC 200mV- 750V, 0-10A AC, resistance 0-20 M Ω , complete with test lead and brand new suitable batteries.	36		
48	Moving Coil centre zero Voltmeter, $100 - 0 - 100$ mV, Educational Desk Model, rectangular type, housed in a enclosed box, fitted with college type terminals, to fit the connecting wires, for the safety of the students, Milli Voltmeter centre zero Analog type.	4		
49	Moving Coil Voltmeter, (set of five volt meters of assorted ranges), Educational Desk Model, rectangular type, housed in a enclosed box, fitted with college type terminals, to fit the connecting wires, for the safety of the students, Analog type.	4		
50	Moving Coil Ampere Meter, (set of five assorted ranges of milli and ampere meters), Educational Desk Model, rectangular type, housed in a enclosed box, fitted with college type terminals, to fit the connecting wires, for the safety of the students. Analog type.	4		
51	Digital Wattmeter, microprocessor based, 230 V, single phase, red LED display	1		
52	A.C. Energy Meter, Single Phase, 10A, 240 V induction type	1		
53	Power Factor, microprocessor based Meter, Digital type, 440 V, 3Ph, for three phase 00three wire two element type power factor digital meter.	1		
54	Tong Tester / Clamp Meter, 0 - 100 A (Digital Type)	4		
55	Megger, 500 volts Analog or Digital display.	4		
56	3- point D.C. Starter, for 2.5 KW DC motor, housed in a box with operating handle.	1		
57	4- point D.C. Starter, for 2.5 KW DC motor, housed in a box with operating handle.	1		
58	Soldering Iron, 25-Watt, 65 Watt and 120-Watt, 230 Volt (set of 3 different wattages), with wooden/plastic handle(Shock proof handle) and soldering tips.	6		

SL	Item	Total Quantity	Compliance (Yes / No)	Deviation details (if any)
59	Oil Testing Kit, operated on single phase 230 Volts, single phase 50 Hz, electric supply,	2		
	Output 0-50 KV Variable, fitted with oil testing kit, k volt meter, indicator lights, on-off			
	switches, fuse, adjustable rotating switch and toggle switches, for operation.			
60	DC Power Supply, 0 - 32, 5 A, regulated type	2		
61	Battery Charger, suitable for charging for 0 – 6volt – 9volt – 12volt - 24 Volt Batteries, at 6	3		
	amp. Output Current Rating.			
62	D.C. Shunt Generator 2.5 KW, 220V with control panel and 5HP 440V, 3phase Squirrel Cage	1		
	Induction Motor with control panel & star delta starter, fitted on panel board,			
	Consist of:			
	(i)DC Shunt Generator 2.5KW, 220volts.			
	(ii)AC 5 HP squirrel cage induction motor, 440volts.			
	(iii)Both AC motor and DC shunt Generator, properly aligned and coupled with a suitable			
	coupling with coupling guard.			
	(iv)Control Panel fitted with meters for AC side and DC side, on engraved bakelite sheet on a			
	M.S. box / frame, suitable for table mounting and Educational type insulated terminals are to			
	be fitted on both AC and DC sides.			
	The following meters are to be fitted in the panel board.			
	For AC Motor:			
	(a) One 72X 72mm square panel mounted AC 0-500Volt Meter;			
	(b) One 72X 72mm square panel mounted AC 0-10 Ampere Meter;			
	(c) One 5 HP manually operated 5 HP Star Delta Starter.			
	(d) One Triple Pole 10 Ampere MCB.			
	(e) Three indicator Lights.			
	For DC Generator:			
	(a) One 72X 72mm square panel mounted DC 0-300Volt Meter;			
	(b) One 72X 72mm square panel mounted DC 0-15 Ampere Meter;			
	(c) One Tubular Rheostat 1.4 Ampere, 260 Ohms .			
	(d) One suitable MCB or DPST Knife Switch with fuse.			
	(e) One indicator Light.			

SL	Item	Total Quantity	Compliance (Yes / No)	Deviation details (if any)
63	Motor-Generator (AC to DC) set:-	2		
	Consist of : One Squirrel Cage Induction Motor, rating: 7.5 HP, 415V, 3 phase, 50 cycles, with			
	star delta starter is to be fitted on panel Board and directly coupled with suitable coupling to			
	DC Shunt Generator of rating: 5 KW, 440V (Output voltage varies 110-440v). Both AC motor			
	and DC shunt Generator, properly aligned and coupled with a suitable coupling with			
	coupling guard, mounted on heavy M. S. Channel frame, duly fitted with fixing bolts, and			
	both AC Motor and DC Shunt Generator are properly aligned and coupled by a strong flexible coupling set. Complete with Switch/ Panel Board.			
	(1) Control Panel fitted with meters for AC side and DC side, on engraved bakelite sheet on a			
	M.S. box / frame, suitable for table mounting and Educational type insulated terminals are to			
	be fitted on both AC and DC sides.			
	The following meters are to be fitted in the panel board.			
	For AC Motor:			
	(a) One 72X 72mm square panel mounted AC 0-500Volt Meter;			
	(b) One 72X 72mm square panel mounted AC 0-20 Ampere Meter;			
	(c) One 5 HP manually operated/ Automatic Star Delta Starter.			
	(d) One Triple Pole 16 Ampere MCB.			
	(e) Three indicator Lights.			
	For DC Generator:			
	(a) One 72X 72mm square panel mounted DC 0-500Volt Meter;			
	(b) One 72X 72mm square panel mounted DC 0-15 Ampere Meter;			
	(c) One Tubular Rheostat 1.1 Ampere, 800 Ohms .			
	(d) One suitable MCB or DPST Knife Switch with fuse.			
	(e) One indicator Light.			

D.C. Compound Generator, 2.5 KW, 220V with control panel fitted with rheostat, voltmeter, ammeter and breaker(MCB) and 3phase Squirrel cage Induction Motor, 5HP, 440V, with star delta starter, fitted in the panel board. D C Compound Generator set consists of: (i) DC Generator 2.5KW, 220volts. (ii) AC 5 HP squirrel cage induction motor, 440volts. (iii) Both AC motor and DC shunt Generator, properly aligned and coupled with a suitable coupling with coupling guard.	SL	Item	Total Quantity	Compliance (Yes / No)	Deviation details (if any)
(iv) Control Panel fitted with meters for AC side and DC side, on engraved bakelite sheet on a M.S. box / frame, suitable for table mounting and Educational type insulated terminals are to be fitted on both AC and DC sides. The following meters are to be fitted in the panel board. For AC Motor: (a) One 72X 72mm square panel mounted AC 0-500Volt Meter; (b) One 72X 72mm square panel mounted AC 0-10 Ampere Meter; (c) One 5 HP manually operated 5 HP Star Delta Starter. (d) One Triple Pole 10 Ampere MCB. (e) Three indicator Lights. For DC Generator: (a) One 72X 72mm square panel mounted DC 0-300Volt Meter; (b) One 72X 72mm square panel mounted DC 0-15 Ampere Meter; (c) One Tubular Rheostat 1.4 ampere, 260 Ohms . (d) One suitable MCB or DPST Knife Switch with fuse. (e) One indicator Light.	64	ammeter and breaker(MCB) and 3phase Squirrel cage Induction Motor, 5HP, 440V, with star delta starter, fitted in the panel board. D C Compound Generator set consists of: (i) DC Generator 2.5KW, 220volts. (ii) AC 5 HP squirrel cage induction motor, 440volts. (iii) Both AC motor and DC shunt Generator, properly aligned and coupled with a suitable coupling with coupling guard. (iv) Control Panel fitted with meters for AC side and DC side, on engraved bakelite sheet on a M.S. box / frame, suitable for table mounting and Educational type insulated terminals are to be fitted on both AC and DC sides. The following meters are to be fitted in the panel board. For AC Motor: (a) One 72X 72mm square panel mounted AC 0-500Volt Meter; (b) One 72X 72mm square panel mounted AC 0-10 Ampere Meter; (c) One 5 HP manually operated 5 HP Star Delta Starter. (d) One Triple Pole 10 Ampere MCB. (e) Three indicator Lights. For DC Generator: (a) One 72X 72mm square panel mounted DC 0-300Volt Meter; (b) One 72X 72mm square panel mounted DC 0-15 Ampere Meter; (c) One Tubular Rheostat 1.4 ampere, 260 Ohms. (d) One suitable MCB or DPST Knife Switch with fuse.	_	(Yes / No)	

SL	Item	Total Quantity	Compliance (Yes / No)	Deviation details (if any)
65	DC Series Motor 2.5 KW, 220 Volts, with starter and switch, fitted in the panel board, coupled with spring balance load.	2	(les / No)	
	The D.C. Series motor is to be fitted on a M. S. Iron Frame and coupled with Mechanical			
	Loading Arrangement with Ponny Brake Arrangement, consisting of longitudinal spring balance, Canvas Belt with hooks, C. P. Wheels with threaded studs for easy tightening the			
	canvas belt, for required load test and a C.I. Drum Pulley, suitable for water cooling.			
	Required Panel Board with Meters, Starter, MCB/Switch.			
	One Power supply is to be fitted in the panel board to get D. C. Output from the A.C. input			
	supply, to avoid the D.C. Power to run the D.C. Series Motor.			
66	DC Shunt Motor 2.5 KW, 220 Volts, with starter and switch, fitted in the panel board, coupled	2		
	with spring balance load.			
	The motor is to be fitted on a M. S. Iron Frame and coupled with Mechanical Loading			
	Arrangement with Ponny Brake Arrangement, consisting of longitudinal spring balance,			
	Canvas Belt with hooks, C. P. Wheels with threaded studs for easy tightening the canvas belt,			
	for required load test and a C. I. Drum Pulley, suitable for water cooling.			
	Required Panel Board with meter, starter, MCB/Switch.			
	One Power supply is to be fitted in the panel board to get D. C. Output from the A.C. input			
	supply, to avoid the D.C. Power to run the D.C. Shunt Motor.			
67	DC compound Motor 2.5 KW ,220 volts, with starter and switch, fitted in the panel board,	2		
	coupled with spring balance load.			
	The motor is to be fitted on a M. S. Iron Frame and coupled with Mechanical Loading			
	Arrangement with Ponny Brake Arrangement, consisting of longitudinal spring balance,			
	Canvas Belt with hooks, C. P. Wheels with threaded studs for easy tightening the canvas belt,			
	for required load test and a C. I. Drum Pulley, suitable for water cooling.			
	Required Panel Board with meters, starter, MCB/ Switch.			
	One Power supply is to be fitted in the panel board to get D. C. Output from the A.C. input			
	supply, to avoid the D.C. Power to run the D.C. Shunt Motor			

SL	Item	Total Quantity	Compliance (Yes / No)	Deviation details (if any)
68	AC phase-wound slip ring Motor, 5 HP, 440 V, 3 Phase, 50 Hz, 1440 rpm with starter and switch, fitted in the panel board and coupled with spring balance load.	2		
	The motor is to be fitted on a M. S. Iron Frame and coupled with Mechanical Loading Arrangement with Ponny Brake Arrangement, consisting of longitudinal spring balance,			
	Canvas Belt with hooks, C. P. Wheels with threaded studs for easy tightening the canvas belt,			
	for required load test and a C. I. Drum Pulley, suitable for water cooling.			
	Required Panel Board with meters, starter, MCB/ Switch, suitable for three phase Slipring induction motor.			
69	Synchronous motor with accessories like starter, excitation arrangements, 3 H.P., 3 Phase, 415/440V, 50Hz, 4 Pole,1500 rpm with mechanical type spring balanced loading systems and Control Panel Board, fitted with required meters/swicth etc.	1		
	The motor is to be fitted on a M. S. Iron Frame and coupled with Mechanical Loading Arrangement with Ponny Brake Arrangement, consisting of longitudinal spring balance,			
	Canvas Belt with hooks, C. P. Wheels with threaded studs for easy tightening the canvas belt, for required load test and a C. I. Drum Pulley, suitable for water cooling.			
70	Single phase Transformer, core type, air cooled, 1 KVA , 240 V, 50 Hz.	3		
71	Three phase transformer, shell type with Delta/ Star, 3 KVA, 415/240 V, 50 Hz, oil cooled type transformer.	2		
72	Motorised Bench Grinder, 1/2 HP (400W) 440V, 3 phase, 50 hz, 3000rpm, fitted with on-off rotary switch, Double ended grinder fitted with one smooth grinding wheel at one end and one rough grinding wheel at other end. 150mm(6") dia Grinding wheels are to be fitted in the bench grinder at both end with wheel guard and tool base/rest.	2		
73	Single Phase Capacitor Motor 1 HP, 240 V, 50 Hz, 1440 rpm, fitted with capacitor on the top of the motor and terminal box for connecting the input power supply to run the motor.	1		
74	Metal Rack, overall size: 78" Heigth x 36"Breath x 15"Depth, with four slotted angles and four shelves, with required fixing nut bolts, duly painted.	6		
75	Trainees Lockers with 8 drawers/compartments with pad locking arrangement, full size lockers: over all size:78"height x 36"width x 18" depth. Made from thick mild steel sheets, duly painted.	18		

SL	Item	Total Quantity	Compliance (Yes / No)	Deviation details (if any)
76	Storage Almirah with three shelves, full size with extra width Almirah, over all size 78"Height x 48"Width x 18"Depth, Made from thick mild steel sheets, duly painted and fitted with handle and lock & Key.	9		
77	Screw Driver Set, packed in a box, contains 5 blades and one interchangeable shock proof handle.	8		
78	White Board 4' X 6' with one duster and one white board writing pen.	4		
79	Side cutting Plier 125/150mm, made of steel, duly forged & heat treated with thick insulation handle	24		
80	Rawl Plug tool kit, set of 6 of different assorted sizes.	4		
81	Steel Rule Graduated both in Metric and English Unit, 600 mm / 24 inch, made of thick steel sheet.	20		
82	Safety goggles, with clear glass, (plastic type goggles).	20		
83	Scrapping knife, can be used by painter (set of 3) two scaping knife, of different shape fitted with handle and one patty type scraper.	6		
84	Screw driver, spring steel blade and shock proof handle, made of Cellulose Acetate materials. Blade size 100mm (4") long.	4		
85	Screw driver, spring steel blade and shock proof handle, made of Cellulose Acetate materials. Blade 300mm (12") long.	32		
86	Soldering Iron, 25-Watt, pinnacle of all purpose soldering application, design and technology, supplied with soldering tips and connecting wire with plug, duly fitted.	8		
87	Crimping tool plier for better crimping of wire with lug.	4		
88	Magneto/Terry spanner set	2		
89	Scriber Straight/Bent 15 cm, properly heat treated and tempered, sharpened point and knurling for firm gripping.	50		
90	Box spanner set 6-25 mm set of 8 with Tommy bar, tubular type double ended spanner set.	3		
91	Magnifying lens with illumination, battery operated and supplied with required battery set for illumination to see the objects, more clearly.	6		
92	Signal generator, Frequency Range: 100 KHz-100 MHz.	1		

SL	Item	Total Quantity	Compliance (Yes / No)	Deviation details (if any)
93	Digital IC Trainer, 7 segment display and bread board, suitable for study and construction of	3		
	various digital electronics lab experiment. With built-in power supply +5V DV / 250mA. On			
	board logic gates – OR, AND, NOT, NAND, NOR, EX-OR.			
94	Angle Plate adjustable of close grained cast iron, duly machined, 90° true working faces. Size	1		
	10cm length			
95	Piston ring compressor, adjustable type ring compressor with L handle.	2		
96	Tampered cutting edge, Scraper fitted with handle, flat, sharp edge 150 mm.	30		
97	Tampered cutting edge, Scraper fitted with handle, 3 corner sharp edge 150 mm.	30		
98	Tampered cutting edge, Scraper fitted with handle, half round sharp edge 150 mm.	30		
99	Universal scribing block 22 cm with fine point scriber to set at desired angle, with stand.	2		
100	Vernier caliper 0-300mm, with slider clamping screw, suitable for measuring inside, outside	1		
	& depth			
101	Water pump and fuel feed pump for dismantling & assembling.	1		
102	Trolley type portable air compressor, single cylinder 45L Air storage with electric motor and	1		
	fitted with pressure switch, pressure gauge, safety valve, non-return valve, dry type air inlet			
	filter, after cooler other standard accessories.			
103	Moving Iron Meter, (set of three volt and ampere meters of assorted ranges), Educational	4		
	Desk Model, rectangular type, in enclosed box, fitted with college type terminals, to fit the			
	connecting wires, for the safety of the students.			
104	File flat/hand 250 mm 2nd cut, made of steel with handle.	16		
105	File half round, 150 mm 2nd cut, made of steel with handle.	40		
106	Dot slot punch / prick punch, 10 cm, duly hardened and tempered.	20		
107	Spirit level 300mm long, metal body with bubble.	16		
108	Stud Extractor Ezy– Out, set of 5 reverse bit of different sizes.	8		
109	Micrometer 50 -75 mm outside, with tipped measuring faces, positive locking clamp, clear	2		
	graduation of 0.01mm.			
110	Vernier caliper 0-150mm, with slider clamping screw, suitable for measuring inside, outside	1		
	& depth.			
111	Vernier height gauges 300 mm, for measuring the height of small parts. Beam and slider are	1		
	made of steel, supplied with scriber.			

SL	Item	Total Quantity	Compliance (Yes / No)	Deviation details (if any)
112	Vernier bevel protractor, for angle measurement of machines, moulds and jigs, supplied with	1		
	blade 300mm.			
113	Drill twist taper shank size 13-20mm, made from selected steel to withstand drilling in metal	1		
	surface etc. (set of 5 pcs)			
114	File triangular 15 cm smooth/2nd cut, made from steel with handle.	10		
115	File round 20 cm second cut, made from steel with handle.	20		
116	File square 25 cm second cut, made from steel with handle.	10		
117	File triangular 20 cm second cut, made from steel with handle.	20		
118	File flat/hand 20 cm bastard/2nd cut, made from steel with handle	20		
119	File flat 30 cm bastard, made from steel with handle	20		
120	File half round 25 cm second cut, made from steel with handle	20		
121	File half round 25 cm bastard, made from steel with handle	20		
122	File round 25 cm bastard, made from steel with handle	8		
123	Reamer adjustable hand upto 16mm, set of 8, fitted with adjustable blades	1		
124	Chisel cold 9 mm cross cut & diamond cut, forged and ground, duly heat treated cutting	4		
	edge, set of 2.			
125	AC squirrel cage Motor 3HP 440V with D.O.L. Starter and ICTP Switch/MCB	1		
126	Drill sleeve set of three sizes.	2		
127	Bench vice 15 cm jaw fixed base, rib type, Jaw plates should be replaceable and made of	10		
	hardened steel serrated jaw plates, having a fast non-slip grip. The stressed parts- beefed-up			
	areas of greatest stress should be strengthened with shock resisting C.I. casting for long			
	dependable service. The large Diameter main screw is to be made of high grade steel having			
	fine pitched and square thread. Detachable and replaceable nut made of forged steel.			
	Precision machine component & bearing surface are to be provided in the bench vice for			
	smooth operation and reliability with more anvil area.			
	Specifications:- Size: 150mm (6"), Width of Jaws: 150 mm, Opening of Jaws: 200mm, Depth			
	of Jaws : 90mm, Weight (approx) : 25 kg			
128	Steel Rule 6" 150mm, duly graduated. Made from selected thick steel sheets.	64		

SL	Item	Total Quantity	Compliance (Yes / No)	Deviation details (if any)
129	Air plasma cutting equipment with all standard accessories and one torch. Capacity to cut more than 12mm clear cut. The Air Plasma cutting machine will be inverter based, durable, High frequency and low maintenance cost machine. Most suitable for production work in industries and for trainees. Arc Striking for ease of operation, input voltage rating three phase AC 380+(-) 15%. Invertor based, soft switching technology, high efficiency and cutting capacity from 1 to 35mm thick. Rated input power: 27 KVA, no load rated voltage 300Volt, power factor 0.95, maximum continuation hand welding current @ 60% duty cycle 30-120Ampare, Class F insulation, IP21S enclosure protection class.	1		
130	Air Compressor suitable for above Air Plasma cutting system, should be capable to give free air delivery of 439 litre per minute with piston displacement of 19.6cfm and two stage compression. Fitted with suitable electric motor, operated on 415V, 3phase 50Hz. and class F insulation. Finger type valves fitted at LP and HP side. Air cooled system is to be provided for cooling top block, inter cooler and after cooler. Fitted with dry type air filter. The compressor and its fittings are to be mounted on 220 litre air receiver tank. As a safety measure, safety valve is to be fitted on the tank. The maximum working pressure of the compressor should be 12.0 Kgf/cm² g or 175psi(g) or 12 bar (g). One pressure adjustable switch is to be provided for Auto-Cut and Auto-Start the motor of compressor machine at desired pre-set air pressure in the tank and one non returned valve should also be provided for protecting the return of air from air receiver tank. Fitted with V type Cylinder configuration. Square cage induction TEFC main drive motor having SF 1.1 intermittent duty is to be fitted with compressor and type of drive transmission should be taper lock driven i.e. direct drive type to eliminate the use of belts(V-Belts). This direct drive system will eliminate the changing of belts from time to time and save the maintenance cost of belts. This will give long and durable services to the compressor.	1		

SL	Item	Total Quantity	Compliance (Yes / No)	Deviation details (if any)
131	GMAW welding machine, 400 Ampere, with air cooled torch, regulator, gas pre-heater, gas hose and standard accessories. GMAW Welding Machine 400 Amp. digitally controlled, IGBT invertor based, SMD technology, compatible to power generator supply, auto weld stop system when welding torch is taken away from the weld job, energy savings by high power factor, digital panel for adjusting the welding parameters, max. power factor is 0.93, electronic choke for better arc control. Protections systems is to be provided to protect under voltage, over voltage, over temperature and single Phase prevention. Operated on three phase 415 volts (+)15% (-)10% 50/60 Hz. No load KVA is 0.24KVA and at 100% duty cycle is 12 KVA. Welding current range 50-400 Amp. and open circuit voltage is 65 volts plus minus 5%. Forced air cooling system, ingress protection is class IP23 and 70dB audio noise emission. Suitable welding wire diameter in mm is for aluminium 1.2–1.6mm and for steel 0.8, 1.0, 1.2 and 1.6mm. Wire feed speed is 1.5-18 m/min. Complete with air cooled Mig torch, wire feeder, power source, interconnecting cables, CO2 regulator, gas preheater, 6meter hose and earthing cable assembly. A product from Nationally reputed company.	1		

SL	Item	Total Quantity	Compliance (Yes / No)	Deviation details (if any)
132	Power Saw machine, Size of Blade 14" (350mm). Hydraulic Feed System, suitable for fitting Saw Blade of 400mm size, powered by 0.75 KW electric motor and as per following technical specification; Feed saw should be controlled Hydraulically by two levers and are provided at the dash-pot. One lever for controlling the rate of feed while the other enables the bow slide to raised or lowered. Electric motor should get switched off, on completion of the cut. Push button starter with trip adjustable mechanism is to be fitted to stop the machine, soon after the blade is released/clear from the work. The bed, saw frame, vice etc. etc. are to be of rigid construction/ casting, for longer life of the machine. The saw frame is to be runs in prismatic guide, ensuring a square and parallel cut and this cut should take place on the backward pull stroke. The saw blade is to be hydraulically lifted out of contact with work place on the forward stroke to prevent wear/damages of the blade. Coolant pump system with enclosed coolant tank is to be provided for continuously supply the coolant to the saw blade, while in operation. One two jaws vice is to be provided and one jaw of the vice remain fixed and another jaw can be adjusted to grip/ hold the materials to be cut. An automatic cut out operational system is to be provided, so that the bow slide returns to the top position, after completion of the operation. The machine should be capable to run on 0.75KW (1HP) electric motor. The drive gives to the hacksaw machine through V-Belts. The belt tension / adjustment system is also to be provided. The shafts are to be fitted with taper/ball bearing to eliminate friction. Two operational speeds should be provided, (a) high speed for cutting of mild steel, brass, copper etc. and (b) low speed for cutting of cast iron. Cutting capacity of the machine should be up to 200mm of round bar and up to 150mm square bar. Either 16" (400mm) or 14" (350mm) size, any one Saw Blade can be fitted for cutting at 100 – 120 strokes per minute (approx.), as	1		
133	Velcro Rollers, set of 12 nos. (large, medium & small) made of plastic (round).	12		
134	Perm rollers, set of 12 nos. (large, medium & small).	8		
135	Manicure Bowls small standard size made of plastic.	4		_
136	Spray bottle, standard size, suitable for beauty parlour.	4		

SL	Item	Total Quantity	Compliance (Yes / No)	Deviation details (if any)
137	Infra-Red Lamp, electrically operated on 220/230Volts A.C.Mains supply.	1		
138	Tail comb.	8		
139	Nail file with handle.	4		
140	Plain switches.	4		
141	Nail cutter, fitted with nail file operation.	8		
142	Make up Brush set (assorted type)	4		
143	Dye bowl, made of plastic.	1		
144	Dryer (Hair), electrically operated on 220/230Volts A.C.Mains supply.	1		
145	Facial band.	4		
146	Wax applicator	2		
147	Leather hand glove pair set.	17		
148	Rubber hose oxygen 8mm X 10mtr with one pair of adjustable hose clamps.	1		
149	Rubber hose acetylene 8mm X 10mtr with one pair of adjustable hose clamps.	1		





Bid Number/बोली क्रमांक (बिड संख्या): GEM/2024/B/4465145 Dated/दिनांक : 10-01-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण		
Bid End Date/Time/बिंड बंद होने की तारीख/समय	20-01-2024 18:00:00	
Bid Opening Date/Time/बिड खुलने की तारीख/समय	20-01-2024 18:30:00	
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)	
Ministry/State Name/मंत्रालय/राज्य का नाम	Assam	
Department Name/विभाग का नाम	Skill Employment And Entrepreneurship Department	
Organisation Name/संगठन का नाम	Directorate Of Employment And Craftsmen Training	
Office Name/कार्यालय का नाम	Guwahati	
Total Quantity/कुल मात्रा	1576	
	Measuring Steel Tape, 5 metre, in a handy packing. , Combination Plier Insulated, 150 mm , Screwdriver Insulated, 5mm X 150 mm , Screwdriver insulated, 5mm X 200 mm , Electrician Screwdriver thin stem Insulated handle, 5mm X 250 mm , Centre Punch 10 cm and 150mm , Knife Blade Electrician, 100mm, folding type for safety of the trainees. , Neon Tester, 500 V , Steel Rule 300 mm , Hammer, 200-100 grams , Hammer, ball pein with handle, 500 grams. , C Clamp, size 200 mm and 100 mm. , Spanner Adjustable, duly drop forged, size 150 and 300mm , Blow lamp brass with 0.5 litre storage capacity. , Chisel Cold , Allen Key set, made of alloy steel, size 1.5 to10 mm , Pully Puller , Bearing Puller , Pipe vice , Scissors blade, 200mm. , Scissors blade, 150 mm. , Wire Cutter and Stripper, 150 mm , Mallet , Hammer Extractor claw type , Hacksaw frame, Adjustable 300 mm , Engineer Try Square, duly graduated, 150mm , Adjustable Spring Calliper, Inside, 150 mm , Adjustable Spring Calliper, Inside, 150 mm , Adjustable Spring Calliper, Divider, 150 mm , Pliers long nose insulated , 130 mm , Pliers flat nose insulated . , Pliers round nose insulated , Tweezers , Snip Straight heavy duty 250 mm , D.E. metric Spanner Double Ended, open jaw, 6 - 32 mm , Drill S.S. Twist block, 2 mm to 12 mm set of 7 , Gauge, wire imperial stainless steel. , File flat smooth, 250 mm , Copper bit soldering iron, fire heated, 0.25 kg. , De soldering Gun, Heatproof nozzle, PVC type, standard size, hand operated . , Hand Vice, 50 mm, duly forged and tampered. , Tools maker Vice with clamp adjustable, 50mm and 100 mm , Oil Can, 250 ml, pressure type oil can , Portable Electric Drill Machine 0 - 13 mm drilling capacity. , Out Side Micrometer, 0 - 25 mm, least count 0.01mm , Safety Belt, Standard quality. , Digital Multi Meter 3.5 digit , Moving Coil centre zero Voltmeter, 100 0 100 mV,	

Bid Details/बिंड विवस्पा described ranges, Educational Desk Model ,

Moving Coil Ampere Meter, set of five assorted ranges of milli and ampere meters, Educational Desk Model, Digital Wattmeter, microprocessor based, 230 V, single phase, red LED display, A.C. Energy Meter, Single Phase, 10A, 240 V induction type, Power Factor, microprocessor based Meter, Digital type, 440 V, 3Ph, Tong Tester Clamp Meter, 0 to 100 A Digital Type, Megger, 500 volts Analog or Digital display, 3- point D.C. Starter, for 2.5 KW DC motor., 4- point D.C. Starter, for 2.5 KW DC motor., Soldering Iron, 25-Watt, 65 Watt and 120-Watt, 230 Volt, Oil Testing Kit, operated on single phase 230 Volts, DC Power Supply, 0 - 32, 5 A, regulated type, Battery Charger, D.C. Shunt Generator 2.5

regulated type, Battery Charger, D.C. Shunt Generator 2 KW, Motor-Generator AC to DC set, D.C. Compound Generator, 2.5 KW, 220V, DC Series Motor 2.5 KW, 220 Volts, DC Shunt Motor 2.5 KW, 220 Volts, DC compound

Motor 2.5 KW,220 volts, AC phase-wound slip ring Motor, 5 HP, 440 V, 3 Phase, Synchronous motor with accessories, Single phase Transformer, Three phase transformer,

Motorised Bench Grinder, , Single Phase Capacitor Motor 1 HP, 240 V , Metal Rack , Trainees Lockers , Storage Almirah , Screw Driver Set , White Board 4ft X 6ft with one duster

and one white board writing pen., Side cutting Plier, Rawl Plug tool kit, set of 6 of different assorted sizes., Steel Rule Graduated both in Metric and English Unit, 600 mm 24 inch, made of thick steel sheet., Safety goggles, with clear glass,

plastic type goggles., Scrapping knife, Screw driver, 100mm, Screw driver, 300mm, Soldering Iron, 25-Watt, Crimping tool plier, Magneto Terry spanner set, Scriber Straight Bent 15 cm, Box spanner set 6 25 mm set of 8,

Magnifying lens with illumination., Signal generator, Frequency Range 100 KHz to 100 MHz., Digital IC Trainer, Angle Plate. Size 10cm, Piston ring compressor, adjustable type ring compressor with L handle., Tampered cutting edge, Scraper fitted with handle, flat, sharp edge 150 mm.

Tampered cutting edge, Scraper fitted with handle, 3 corner sharp edge 150 mm., Tampered cutting edge, Scraper fitted with handle, half round sharp edge 150 mm., Universal scribing block 22 cm with fine point scriber to set

at desired angle, with stand. , Vernier caliper 0-300mm , Water pump and fuel feed pump for dismantling and assembling. , Trolley type portable air compressor , Moving Iron Meter, set of three volt and ampere meters of assorted

ranges, Educational Desk Model , File flat hand 250 mm 2nd cut, made of steel with handle. , File half round, 150 mm 2nd cut, made of steel with handle. , Dot slot punch prick punch, 10 cm, duly hardened and tempered. , Spirit level

300mm long, metal body with bubble. , Stud Extractor Ezy Out, set of 5 reverse bit of different sizes. , Micrometer 50 to 75 mm outside , Vernier caliper 0-150mm , Vernier height gauges 300 mm , Vernier bevel protractor, 300mm. , Drill twist taper shank size 13-20mm, set of 5 pcs , File triangular

15 cm smooth 2nd cut, made from steel with handle. , File round 20 cm second cut, made from steel with handle. , File square 25 cm second cut, made from steel with handle. , File triangular 20 cm second cut, made from steel with handle. , File flat hand 20 cm bastard 2nd cut, made from

steel with handle , File flat 30 cm bastard, made from steel with handle , File half round 25 cm second cut, made from steel with handle , File half round 25 cm bastard, made from steel with handle , File round 25 cm bastard, made from steel with handle , Reamer adjustable hand upto 16mm, set

of 8, fitted with adjustable blades , Chisel cold 9 mm cross cut and diamond cut, forged and ground, set of 2. , AC

Item Category/मद केटेगरी

	cquirral cago Motor 2UD 440V Drill alegans agt of the
Bid D	squirre Leage Motor 3HP 440V , Drill sleeve set of three sizes. , Bench vice 15 cm jaw fixed base, rib type , Steel
	Rule 6inch 150mm, duly graduated. Made from selected thick steel sheets. , Air plasma cutting equipment with all standard accessories and one torch , Air Compressor suitable for above Air Plasma cutting system , GMAW welding machine , Power Saw machine, Size of Blade 14 inch, 350mm , Velcro Rollers, set of 12 nos., large, medium and small , Perm rollers, set of 12 nos., large, medium and small , Manicure Bowls small standard size made of plastic. , Spray bottle, standard size, suitable for beauty parlour. , Infra-Red Lamp , Tail comb. , Nail file with handle. , Plain switches. , Nail cutter, fitted with nail file operation. , Make up Brush set, assorted type , Dye bowl, made of plastic. , Dryer Hair , Facial band. , Wax applicator , Leather hand glove pair set. , Rubber hose oxygen 8mm X 10mtr with one pair of adjustable hose clamps.
BOQ Title/बीओक्यू शीर्षक	T and E for ITI of Assam
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिंड का प्रकार	Two Packet Bid
Primary product category	Air Compressor suitable for above Air Plasma cutting system
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाईजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	150000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%)/ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	12

- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy,/जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी:

Director Employment and Craftsmen Training A K Azad Road, Rehabari, Guwahati - 781008 (Director)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	No
·	

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
This are nase is ever energy company and an in-	

1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Measuring Steel Tape, 5 Metre, In A Handy Packing.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	12	90

Combination Plier Insulated, 150 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	27	90

Screwdriver Insulated, 5mm X 150 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	24	90

Screwdriver Insulated, 5mm X 200 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>

BOQ Detail Document View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	8	90

Electrician Screwdriver Thin Stem Insulated Handle, 5mm X 250 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	32	90

Centre Punch 10 Cm And 150mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	9	90

Knife Blade Electrician, 100mm, Folding Type For Safety Of The Trainees.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	30	90

Neon Tester, 500 V

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./ब्र सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	40	90

Steel Rule 300 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	50	90

Hammer, 200-100 Grams

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	32	90

Hammer, Ball Pein With Handle, 500 Grams.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	24	90

C Clamp, Size 200 Mm And 100 Mm.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Spanner Adjustable, Duly Drop Forged, Size 150 And 300mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Blow Lamp Brass With 0.5 Litre Storage Capacity.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Chisel Cold

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	32	90

Allen Key Set, Made Of Alloy Steel, Size 1.5 To10 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	3	90

Pully Puller

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Bearing Puller

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Pipe Vice

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	2	90

Scissors Blade, 200mm.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Scissors Blade, 150 Mm.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Wire Cutter And Stripper, 150 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	12	90

Mallet

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Hammer Extractor Claw Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Hacksaw Frame, Adjustable 300 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	48	90

Engineer Try Square, Duly Graduated, 150mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	52	90

Adjustable Spring Calliper, Outside, 150 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	18	90

Adjustable Spring Calliper, Inside, 150 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	34	90

Adjustable Spring Calliper, Divider, 150 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	34	90

Pliers Long Nose Insulated, 130 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	30	90

Pliers Flat Nose Insulated.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	8	90

Pliers Round Nose Insulated

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Tweezers

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Sp	pecification Document	<u>View File</u>
В	OQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	66	90

Snip Straight Heavy Duty 250 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	2	90

D.E. Metric Spanner Double Ended, Open Jaw, 6 - 32 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Drill S.S. Twist Block, 2 Mm To 12 Mm Set Of 7

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	3	90

Gauge, Wire Imperial Stainless Steel.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

File Flat Smooth, 250 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	16	90

Copper Bit Soldering Iron, Fire Heated, 0.25 Kg.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	2	90

De Soldering Gun, Heatproof Nozzle, PVC Type, Standard Size, Hand Operated.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	24	90

Hand Vice, 50 Mm, Duly Forged And Tampered.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Tools Maker Vice With Clamp Adjustable, 50mm And 100 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	2	90

Oil Can, 250 Ml, Pressure Type Oil Can

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Portable Electric Drill Machine 0 - 13 Mm Drilling Capacity.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Out Side Micrometer, 0 - 25 Mm, Least Count 0.01mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	3	90

Safety Belt, Standard Quality.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	2	90

Digital Multi Meter 3.5 Digit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	36	90

Moving Coil Centre Zero Voltmeter, 100 0 100 MV, Educational Desk Model

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Moving Coil Voltmeter, Set Of Five Volt Meters Of Assorted Ranges, Educational Desk Model

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[Specification Document	View File
ı	BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Moving Coil Ampere Meter, Set Of Five Assorted Ranges Of Milli And Ampere Meters, Educational Desk Model

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Digital Wattmeter, Microprocessor Based, 230 V, Single Phase, Red LED Display

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

A.C. Energy Meter, Single Phase, 10A, 240 V Induction Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Power Factor, Microprocessor Based Meter, Digital Type, 440 V, 3Ph

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Tong Tester Clamp Meter, 0 To 100 A Digital Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

	Consignee porting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
--	--	-------------	-----------------	---------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Megger, 500 Volts Analog Or Digital Display.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

3- Point D.C. Starter, For 2.5 KW DC Motor.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

4- Point D.C. Starter, For 2.5 KW DC Motor.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Soldering Iron, 25-Watt, 65 Watt And 120-Watt, 230 Volt

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	6	90

Oil Testing Kit, Operated On Single Phase 230 Volts

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	2	90

DC Power Supply, 0 - 32, 5 A, Regulated Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	2	90

Battery Charger

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	3	90

D.C. Shunt Generator 2.5 KW

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Motor-Generator AC To DC Set

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	2	90

D.C. Compound Generator, 2.5 KW, 220V

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

DC Series Motor 2.5 KW, 220 Volts

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	2	90

DC Shunt Motor 2.5 KW, 220 Volts

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	2	90

DC Compound Motor 2.5 KW,220 Volts

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	2	90

AC Phase-wound Slip Ring Motor, 5 HP, 440 V, 3 Phase

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	2	90

Synchronous Motor With Accessories

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Single Phase Transformer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	3	90

Three Phase Transformer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	2	90

Motorised Bench Grinder,

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	2	90

Single Phase Capacitor Motor 1 HP, 240 V

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Metal Rack

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	6	90

Trainees Lockers

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	18	90

Storage Almirah

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	9	90

Screw Driver Set

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	8	90

White Board 4ft X 6ft With One Duster And One White Board Writing Pen.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Side Cutting Plier

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	24	90

Rawl Plug Tool Kit, Set Of 6 Of Different Assorted Sizes.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Sp	pecification Document	<u>View File</u>
ВС	OQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Steel Rule Graduated Both In Metric And English Unit, 600 Mm 24 Inch, Made Of Thick Steel Sheet.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	20	90

Safety Goggles, With Clear Glass, Plastic Type Goggles.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	20	90

Scrapping Knife

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	6	90

Screw Driver, 100mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Screw Driver, 300mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	32	90

Soldering Iron, 25-Watt

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	8	90

Crimping Tool Plier

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

s	pecification Document	View File
В	OQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Magneto Terry Spanner Set

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	2	90

Scriber Straight Bent 15 Cm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	50	90

Box Spanner Set 6 25 Mm Set Of 8

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	3	90

Magnifying Lens With Illumination.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	6	90

Signal Generator, Frequency Range 100 KHz To 100 MHz.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Digital IC Trainer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	3	90

Angle Plate. Size 10cm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Piston Ring Compressor, Adjustable Type Ring Compressor With L Handle.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	2	90

Tampered Cutting Edge, Scraper Fitted With Handle, Flat, Sharp Edge 150 Mm.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	30	90

Tampered Cutting Edge, Scraper Fitted With Handle, 3 Corner Sharp Edge 150 Mm.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	30	90

Tampered Cutting Edge, Scraper Fitted With Handle, Half Round Sharp Edge 150 Mm.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	30	90

Universal Scribing Block 22 Cm With Fine Point Scriber To Set At Desired Angle, With Stand.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	2	90

Vernier Caliper 0-300mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Water Pump And Fuel Feed Pump For Dismantling And Assembling.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Documen	nt	View File
BOQ Detail Document		<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Trolley Type Portable Air Compressor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Moving Iron Meter, Set Of Three Volt And Ampere Meters Of Assorted Ranges, Educational Desk Model

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

File Flat Hand 250 Mm 2nd Cut, Made Of Steel With Handle.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	16	90

File Half Round, 150 Mm 2nd Cut, Made Of Steel With Handle.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	40	90

Dot Slot Punch Prick Punch, 10 Cm, Duly Hardened And Tempered.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	20	90

Spirit Level 300mm Long, Metal Body With Bubble.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	16	90

Stud Extractor Ezy Out, Set Of 5 Reverse Bit Of Different Sizes.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	8	90

Micrometer 50 To 75 Mm Outside

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	2	90

Vernier Caliper 0-150mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग Address/पता अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Vernier Height Gauges 300 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Vernier Bevel Protractor, 300mm.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Drill Twist Taper Shank Size 13-20mm, Set Of 5 Pcs

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

File Triangular 15 Cm Smooth 2nd Cut, Made From Steel With Handle.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	10	90

File Round 20 Cm Second Cut, Made From Steel With Handle.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	20	90

File Square 25 Cm Second Cut, Made From Steel With Handle.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	10	90

File Triangular 20 Cm Second Cut, Made From Steel With Handle.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	20	90

File Flat Hand 20 Cm Bastard 2nd Cut, Made From Steel With Handle

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	20	90

File Flat 30 Cm Bastard, Made From Steel With Handle

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	20	90

File Half Round 25 Cm Second Cut, Made From Steel With Handle

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	20	90

File Half Round 25 Cm Bastard, Made From Steel With Handle

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	20	90

File Round 25 Cm Bastard, Made From Steel With Handle

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	8	90

Reamer Adjustable Hand Upto 16mm, Set Of 8, Fitted With Adjustable Blades

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Chisel Cold 9 Mm Cross Cut And Diamond Cut, Forged And Ground, Set Of 2.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

AC Squirrel Cage Motor 3HP 440V

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Drill Sleeve Set Of Three Sizes.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	2	90

Bench Vice 15 Cm Jaw Fixed Base, Rib Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	10	90

Steel Rule 6inch 150mm, Duly Graduated. Made From Selected Thick Steel Sheets.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	64	90

Air Plasma Cutting Equipment With All Standard Accessories And One Torch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Air Compressor Suitable For Above Air Plasma Cutting System

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

GMAW Welding Machine

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Power Saw Machine, Size Of Blade 14 Inch, 350mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Velcro Rollers, Set Of 12 Nos., Large, Medium And Small

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	12	90

Perm Rollers, Set Of 12 Nos., Large, Medium And Small

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	8	90

Manicure Bowls Small Standard Size Made Of Plastic.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Spray Bottle, Standard Size, Suitable For Beauty Parlour.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Infra-Red Lamp

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Tail Comb.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	8	90

Nail File With Handle.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Plain Switches.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Nail Cutter, Fitted With Nail File Operation.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	8	90

Make Up Brush Set, Assorted Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Dye Bowl, Made Of Plastic.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

	Specification Document	View File
E	30Q Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Dryer Hair

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

9	Specification Document	<u>View File</u>
E	30Q Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Facial Band.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S	.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1		Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	4	90

Wax Applicator

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	2	90

Leather Hand Glove Pair Set.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	17	90

Rubber Hose Oxygen 8mm X 10mtr With One Pair Of Adjustable Hose Clamps.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Rubber Hose Acetylene 8mm X 10mtr With One Pair Of Adjustable Hose Clamps.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ranjit Borthakur	781008,A K Azad Road, Rehabari, Guwahati	1	90

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

4. Buyer Added Bid Specific ATC

Buyer uploaded ATC document <u>Click here to view the file</u>.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and

conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process.
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---